


Author's Accepted Manuscript

7Oral health impacts of medications used to treat mental illness

N Cockburn, A Pradhan, M.W. Taing, S Kisely, PJ Ford



PII: S0165-0327(17)30989-8
DOI: <http://dx.doi.org/10.1016/j.jad.2017.07.037>
Reference: JAD9103

To appear in: *Journal of Affective Disorders*

Received date: 18 May 2017
Revised date: 11 July 2017
Accepted date: 17 July 2017

Cite this article as: N Cockburn, A Pradhan, M.W. Taing, S Kisely and PJ Ford, 7Oral health impacts of medications used to treat mental illness, *Journal of Affective Disorders*, <http://dx.doi.org/10.1016/j.jad.2017.07.037>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and a review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Oral health impacts of medications used to treat mental illness

N Cockburn^{1*}, A Pradhan¹, MW Taing², S Kisely^{3,4}, PJ Ford¹

1. The University of Queensland, School of Dentistry, UQ Oral Health Centre, Herston, Brisbane 4006, QLD, Australia
2. The University of Queensland, School of Pharmacy, Pharmacy Australia Centre of Excellence, Woolloongabba, Brisbane 4102, QLD, Australia
3. The University of Queensland, School of Medicine, Princess Alexandra Hospital, Ipswich Road, Woolloongabba, Brisbane 4102, QLD, Australia
4. Dalhousie University, Departments of Psychiatry, Community Health and Epidemiology, Halifax, Nova Scotia, Canada

*Corresponding author: Nicole Cockburn, Oral Health Centre, 288 Herston Road, Herston, Brisbane, 4006, Email: n.cockburn@uq.edu.au Tel: +61733658116

Abstract**Background**

Many psychotropic medications affect oral health. This review identified oral side effects for antidepressant, antipsychotic, anticonvulsant, antianxiety and sedative drugs that are recommended in Australia for the management of common mental illnesses and provides recommendations to manage these side-effects.

Methods

The Australian Therapeutic Guidelines and the Australian Medicines Handbook were searched for medications used to treat common mental health conditions. For each medication, the generic name, class, and drug company reported side-effects were extracted from the online Monthly Index of Medical Specialties (eMIMs) and UpToDate databases.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات