### Author's Accepted Manuscript

Synthesis of N-doped Potassium Tantalate Perovskite Material for Environmental Applications

Martha Purnachander Rao, Vellangattupalayam Ponnusamy Nandhini, Jerry J. Wu, Asad Syed, Fuad Ameen, Sambandam Anandan



PII: S0022-4596(17)30477-2

DOI: http://dx.doi.org/10.1016/j.jssc.2017.11.031

Reference: YJSSC20031

To appear in: Journal of Solid State Chemistry

Received date: 27 September 2017 Revised date: 23 November 2017 Accepted date: 24 November 2017

Cite this article as: Martha Purnachander Rao, Vellangattupalayam Ponnusamy Nandhini, Jerry J. Wu, Asad Syed, Fuad Ameen and Sambandam Anandan. Synthesis of N-doped Potassium Tantalate Perovskite Material for Environmenta Applications, *Journal of Solid State Chemistry* http://dx.doi.org/10.1016/j.jssc.2017.11.031

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

#### **ACCEPTED MANUSCRIPT**

## Synthesis of N-doped Potassium Tantalate Perovskite Material for Environmental Applications

Martha Purnachander Rao<sup>a</sup>, Vellangattupalayam Ponnusamy Nandhini<sup>a</sup>, Jerry J. Wu<sup>b</sup>, Asad Syed<sup>c</sup>, Fuad Ameen<sup>c</sup>, Sambandam Anandan<sup>a\*</sup>

sanand99@yahoo.com

#### **Abstract**

Nitrogen containing potassium tantalate perovskite material has been synthesized by the solvothermal method using urea ( $CH_4N_2O$ ) as a nitrogen source. The as-prepared sample was characterized by X-ray diffraction (XRD), Fourier transform infrared spectroscopy (FT-IR), diffuse reflectance spectroscopy (DRS), scanning electron microscope (SEM), and energy-dispersive X-ray spectroscopy (EDX) and X-ray photoelectron spectroscopy (XPS). The particle size of nitrogen containing KTaO<sub>3</sub> observed from SEM images was found to be 100-150 nm. Doping KTaO<sub>3</sub> with nitrogen causes reduction of band gap from 3.5 to 2.54 eV. The incorporation of Nitrogen into the crystal lattice of KTaO<sub>3</sub> not only extended the absorption of light from UV (ultraviolet) region to visible region and also enhanced the photocatalytic activity. As prepared nitrogen containing KTaO<sub>3</sub> samples exhibit cubic-like morphology and noticed efficient photocatalytic activity towards methylene blue dye degradation under visible light illumination. The intermediates formed during photodegradation were identified by mass spectrometry (GC-MS) and proposed suitable degradation pathway.

<sup>&</sup>lt;sup>a</sup>Nanomaterials and Solar Energy Conversion Lab, Department of Chemistry, National Institute of Technology, Trichy 620 015, India

<sup>&</sup>lt;sup>b</sup>Department of Environmental Engineering and Science, Feng Chia University, Taichung 407, Taiwan

<sup>&</sup>lt;sup>c</sup>Department of Botany and Microbiology, College of Science, King Saud University, P.O. 2455, Riyadh 11451, Saudi Arabia sanand@nitt.edu

<sup>\*</sup>Corresponding author. Tel.: +91 431 2503639; fax: +91 431 2500133.

# دريافت فورى ب متن كامل مقاله

## ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
  - ✓ امكان دانلود نسخه ترجمه شده مقالات
    - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
  - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
    - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات