Accepted Manuscript

Simultaneous design of pump network and cooling tower allocations for cooling water system synthesis

Chenglin Zheng, Xi Chen, Lingyu Zhu, Jiaqi Shi

PII: \$0360-5442(18)30384-0

DOI: 10.1016/j.energy.2018.02.150

Reference: EGY 12450

To appear in: Energy

Received Date: 5 September 2017
Revised Date: 21 February 2018
Accepted Date: 26 February 2018

Please cite this article as: Zheng C, Chen X, Zhu L, Shi J, Simultaneous design of pump network and cooling tower allocations for cooling water system synthesis, *Energy* (2018), doi: 10.1016/j.energy.2018.02.150.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Simultaneous Design of Pump Network and Cooling

Tower Allocations for Cooling Water System Synthesis

Chenglin Zheng^a, Xi Chen^{a,*}, Lingyu Zhu^b, Jiaqi Shi^b

^a State Key Laboratory of Industrial Control Technology, College of Control Science and Engineering, Zhejiang

University, Hangzhou, Zhejiang, 310027, China

^b College of Chemical Engineering, Zhejiang University of Technology, Hangzhou, Zhejiang, 310014, China

Abstract:

To avoid wasting resources and energy, a simultaneous design approach is proposed for process

synthesis of cooling water system in this paper. For a cooling water system involving multiple

supplies and cooling water using operations, an integrated optimization is presented in which the

pump network, cooling water network and cooling tower are designed as a whole system. Mixed-

integer nonlinear programming based on a superstructure description is formulated by considering

the configuration of the main-auxiliary pump, the location of the cooling towers, and the supply

mode of cooling water simultaneously. Four operational cases are presented and analyzed in detail

for the integrated cooling water system design. In all cases, global optimality is achieved with zero

integrality gap, thus indicating that the optimal location and load of each cooling tower along with

the optimal configurations of the pump network and the cooling water network are obtained.

Relaxation techniques for addressing the nonlinear terms in the model are also presented and good

performance in computation speed can be achieved.

Keywords: Cooling water system; Integrated design; Pump network; Superstructure.

1. Introduction

* Correspondence concerning this article should be addressed to Xi Chen at xi_chen@zju.edu.cn.

دريافت فورى ب

ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
 - ✓ امكان دانلود نسخه ترجمه شده مقالات
 - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
 - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات