Contents lists available at SciVerse ScienceDirect

Marine Policy



journal homepage: www.elsevier.com/locate/marpol

Monitoring and evaluation of spatially managed areas: A generic framework for implementation of ecosystem based marine management and its application

Vanessa Stelzenmüller ^{a,*}, Patricia Breen ^b, Tammy Stamford ^b, Frank Thomsen ^b, Fabio Badalamenti ^c, Ángel Borja ^d, Lene Buhl-Mortensen ^e, Julia Carlstöm ^f, Giovanni D'Anna ^c, Norbert Dankers ^g, Steven Degraer ^h, Mike Dujin ⁱ, Fabio Fiorentino ^c, Ibon Galparsoro ^d, Sylvaine Giakoumi ¹, Michele Gristina ^c, Kate Johnson ^j, Peter J.S. Jones ^k, Stelios Katsanevakis ¹, Leyla Knittweis ^m, Zacharoula Kyriazi ⁿ, Carlo Pipitone ^c, Joanna Piwowarczyk ^o, Marijn Rabaut ⁿ, Thomas K. Sørensen ^p, Jan van Dalfsen ^q, Vassiliki Vassilopoulou ¹, Tomás Vega Fernández ^c, Magda Vincx ⁿ, Sandra Vöge ^r, Anke Weber ^s, Nicklas Wijkmark ^f, Robbert Jak ^g, Wanfei Qiu ^k, Remment ter Hofstede ^g

^a vTI Institute of Sea Fisheries, Palmaille 9, 22767 Hamburg, Germany

^b Cefas, Pakefield Road, Lowestoft, Suffolk NR33 OHT, UK

^c CNR — IAMC, Via G. da Verrazzano 17, 91014 – Castellammare del Golfo (TP), Italy

^d AZTI-Tecnalia, Marine Research Division, Herrera Kaia, Portualdea s/n, 20110 Pasaia, Spain

^e Institute of Marine Research, PB 1870 Nordnes, N-5817 Bergen, Norway

^f AquaBiota Water Research, Svante Arrhenius väg 21A, SE-114 18 Stockholm, Sweden

^g Institute for Marine Resources and Ecosystem Studies (IMARES), P.O. Box 68, 1970 AB, IJmuiden, The Netherlands

^h Royal Belgian Institute of Natural Sciences, Management Unit of the Mathematical Model of the North Sea (MUMM), Marine Ecosystem Management Section, Gulledelle 100, B-1200 Brussels, Belgium

ⁱ TNO, Bouw en Ondergrond, Van Mourik Broekmanweg 6, Postbus 49, 2600 AA Delft, The Netherlands

^j International Centre for Island Technology, Heriot-Watt University, Old Academy, Stromness, Orkney KW16 3AW, UK

^k Department of Geography, UCL, Pearson Building, Gower Street, London WC1E 6BT, UK

¹ Center for Marine Research (HCMR), 46.7 km Athens-Sounio, 19013 Anavyssos, Greece

^m Capture Fisheries Section, Ministry for Resources and Rural Affairs (MRRA), Fort San Lucjan, Marsaxlokk BBG 1283, Malta

ⁿ Marine Biology Section, Ghent University, Krijgslaan 281, Campus Sterre — S8, B-9000 Ghent, Belgium

° Institute of Oceanology Polish Academy of Sciences, Powstancow Warszawy 55, PL-81712 Sopot, Poland

^p AquaTechnical University of Denmark, National Institute of Aquatic Resources (DTU AQUA), Charlottenlund Castle, 2920 Charlottenlund, Denmark

^q Deltares, Marine and Coastal Systems Unit, P.O. Box 177, 2600 MH Delft, The Netherlands

^r Senckenberg Institute, Department for Marine Research, Südstrand 40, 26382 Wilhelmshaven, Germany

^s Norwegian Institute for Water Research (NIVA), P.O. Box 1266 Pirsenteret, 7462 Trondheim, Norway

ARTICLE INFO

Article history: Received 22 July 2011 Received in revised form 24 February 2012 Accepted 12 April 2012 Available online 18 May 2012

Keywords: Adaptive management Marine spatial planning Management effectiveness Risk analysis Spatially explicit tools Operational objectives

ABSTRACT

This study introduces a framework for the monitoring and evaluation of spatially managed areas (SMAs), which is currently being tested by nine European case studies. The framework provides guidance on the selection, mapping, and assessment of ecosystem components and human pressures, the evaluation of management effectiveness and potential adaptations to management. Moreover, it provides a structured approach with advice on spatially explicit tools for practical tasks like the assessment of cumulative impacts of human pressures or pressure-state relationships. The case studies revealed emerging challenges, such as the lack of operational objectives within SMAs, particularly for transnational cases, data access, and stakeholder involvement. Furthermore, the emerging challenges of integrating the framework assessment using scientific information with a structured governance research analysis based mainly on qualitative information are addressed. The lessons learned will provide a better insight into the full range of methods and approaches required to support the implementation of the ecosystem approach to marine spatial management in Europe and elsewhere.

^{*} Corresponding author. Tel.: +49 40 38905 236; fax: +49 40 38905 263. *E-mail address*: vanessa.stelzenmueller@vti.bund.de (V. Stelzenmüller).

⁰³⁰⁸⁻⁵⁹⁷X/\$-see front matter © 2012 Elsevier Ltd. All rights reserved. http://dx.doi.org/10.1016/j.marpol.2012.04.012

1. Introduction

Across the globe increasing human pressures on coastal and offshore waters have resulted in complex conflicts between different human activities (which are often competing for space) and interactions between human activities and the marine environment [1]. Hence, system specific management options are required, which satisfy current and future sectoral needs. They must therefore integrate multiple objectives, including those concerned with marine conservation. Such an integrated management approach is inherent in the widely accepted concept of ecosystem based management (EBM). EBM embodies adaptive and flexible governance and management systems that require suitable and effective information-providing mechanisms which rely on appropriate monitoring programs and integrated assessments. More precisely, EBM aims to maintain an ecosystem in a healthy, productive and resilient condition so that it can continue to provide the services humans want and need [2]. A number of policies at the global scale (e.g., Convention on Biological Diversity, 1992; Food and Agriculture Organisation (FAO), Code of Conduct for Fisheries, 1995) or regional scale (e.g., Marine Strategy Framework Directive; MSFD [3] or Habitats Directive; HD [4]), recognise the need to consider human pressures in the marine environment through EBM [5]. To date, rendering EBM effective has been hampered by a number of factors, including the lack of governance structures, complexity of biological and socioeconomic processes, lack of knowledge on the dynamics and resilience of marine ecosystems, implementation costs and the need for practical tools [6,7].

The concept of EBM is closely linked to monitoring, evaluation, reporting and adaptive management, which are the essential components for effective marine management [8]. The fundamental principles for monitoring include identifying the objectives, monitoring options, scale, costs and benefits. In recent years, the formulation of operational objectives and operational deliveries has been proposed in the wider context of an ecosystem based approach to marine management. A recent study [9] presented a hierarchical monitoring framework that incorporates objectives and delivery statements of ecological, social and economic sectors. Another example is a GOIS (Goal-Objective-Indicator-Success Criteria) framework, which was used to assess the management performance of marine protected areas (MPAs) [10]. Ultimately, the monitoring and evaluation of management performance should (i) demonstrate the extent to which the objectives have been achieved; (ii) provide evidence-based feedback about what's working and what's not; and (iii) reveal interactions between ecological components, human pressures and management efforts.

Tools facilitating the implementation and assessment of EBM in marine ecosystems are the Organization for Economic Cooperation and Development's (OECD), Pressure-State-Response (PSR) framework (OECD, 1993), and the Drivers-, Pressures-State-Impact-Response (DPSIR) framework adopted by the European Environment Agency in 1995 (EEA, 1995) (see also [11]). Integrated ecosystem assessments (IEA) (see [12] and references therein) are promoted as they do not only incorporate biotic and abiotic components, but also socio-economic factors as well as an analysis of how these factors interact. A recent example of an IEA framework [13] encompassed five key steps that enhance the likelihood of a successful implementation of EBM: scoping, indicator development, risk analysis, assessment of ecosystem status relative to EBM goals, and management strategy evaluation. This IEA was later extended to seven steps, together with more practical guidance on methods and strategies to promote an inclusive and transparent process [14].

Operationalisation of EBM needs a spatially explicit management strategy to cope with fragmented decision-making processes across different economic sectors and ecosystem components [15]. Thus, place-based or spatial management approaches, such as marine spatial planning (MSP), facilitate the implementation of EBM [16]. MSP is a public process of analysing and allocating the spatial and temporal distribution of human activities to achieve ecological, economic, and social objectives that usually have been specified through a political process [17,18]. The UNESCO has recently launched step by step guidance on how to operationalise MSP, based on examples of MSP at different stages of development from all around the world [19]. Further the European Commission published some guiding principles for MSP [20], recognising that the sustainable management of marine regions depends on the condition of the respective ecosystems. EBM is thus the overarching principle for an ecosystem based MSP which is defined as an integrated planning framework that informs the spatial distribution of activities in and on the ocean in order to support current as well as future uses of ocean ecosystems [21]. Hence, an ecosystem based MSP aims to maintain the delivery of valuable ecosystem services for future generations in a way that meets ecological, economic and social objectives.

There is an increasing demand for practical and interdisciplinary approaches, accounting for the overarching principles of EBM, to monitor, evaluate and implement Spatially Managed Areas (SMAs) in coastal and offshore waters [14,21,22]. The project Monitoring and Evaluation of Spatially Managed Areas (MESMA; www.mesma.org) addresses this demand by developing an integrated management tool box for SMAs. SMAs are defined as discrete spatial entities with different spatial extensions where a spatial management framework such as MSP is in place, under development, or considered. The tool box is developed and tested with the help of nine MESMA case studies, at different stages of MSP implementation, spanning the various geographical regions of the European marine waters (North Sea, Orkney Islands, Barents Sea, Celtic Sea, Basque Country, Strait of Sicily, Ionian Archipelago, Baltic Sea and Black Sea), and having a range of human pressures and representative habitats. The central tool developed by MESMA is a generic and flexible framework which, through a framework manual, gives guidance on the assessment of SMA effectiveness by means of structured practical tasks and associated methods and analysis. This framework builds on the lessons learned [23] and proposes an iterative process comprising the key elements of scoping, performance measures, assessment, evaluation and adjustment. Methods and technical tools, including a geodata portal, are being developed to support the implementation of the framework. A parallel governance analysis is conducted in the different case studies. Thus the ultimate aim of the MESMA tool box is to facilitate an integrated and transparent process to support the implementation of an ecosystem based spatial management.

This paper provides a comprehensive report on the proposed framework steps, together with state-of-the-art methods and tools for its practical application. Methods relate to the mapping of human activities and the assessment of their cumulative impacts on sensitive ecosystem components. Furthermore, the difficulties identified in the first implementation of the framework in each of the nine case studies are synthesized. Finally, the emerging challenges for the practical integration of the assessment framework with the governance research analysis are described.

2. Requirements for a SMA assessment

The key requirement for practical guidance on the monitoring and evaluation of SMAs is to be generally applicable at any spatial scale, independent from the major natural and socioeconomic

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران