

Available online at www.sciencedirect.com



Int. J. Production Economics 87 (2004) 67-81



## A memetic algorithm for a multistage capacitated lot-sizing problem

#### Regina Berretta<sup>a,\*</sup>, Luiz Fernando Rodrigues<sup>b</sup>

<sup>a</sup> School of Electrical Engineering and Computer Science, University of Newcastle, Callaghan 2308, Australia <sup>b</sup> Faculdade de Engenharia Elétrica e de Computação, Universidade Estadual de Campinas, Campinas SP, CEP 13083-970, Brazil

Received 1 August 2001; accepted 1 March 2003

#### Abstract

We present a heuristic approach to solve a complex problem in production planning, the multistage lot-sizing problem with capacity constraints. It consists of determining the quantity to be produced in different periods in a planning horizon, such that an initially given demand forecast can be attained. We consider setup costs and setup times. Due the complexity to solve this problem, we developed methods based on evolutionary metaheuristics, more specifically a memetic algorithm. The proposed heuristics are evaluated using randomly generated instances and well-known examples in the literature.

© 2003 Elsevier B.V. All rights reserved.

Keywords: Production planning; Material requirements planning; Lot-sizing; Metaheuristics; Memetic algorithms

#### 1. Introduction

Material Requirements Planning (MRP) is a procedure used in industry for planning the production of the end items, as well as the production (or purchase) of its components. By taking the anticipated build schedule from the Master Production Schedule (MPS) and "exploding" it through the Bill of Materials, the purchase and/or the production of the items and its components is established, in order to create a demand forecast.

Although they are commonly used in practice, MRP systems suffer from some criticism. One of them is that in its basic form it does not take into account the limitations of the production resources (Tempelmeier, 1997). If the resources are exceeded, part of the production is transferred or capacity additions (overtime) are made to try to adjust the plan. However, such transfers can cause infeasible plans. In addition, in general, the plan generated by the MRP system does not provide an optimal production plan in the sense of its cost being the least possible (França et al., 1997).

The multistage capacitated lot-sizing (MSCLS) problem that we consider in this paper takes into consideration all these issues. This means that its objective is to determine the lot-size production that minimizes the costs involved (production, inventory and setups) subject to a group of

<sup>\*</sup>Corresponding author. Tel.: +61-2-4921-6034; fax: +61-2-4921-6929.

*E-mail addresses:* regina@cs.newcastle.edu.au (R. Berretta), luiz@densis.fee.unicamp.br (L.F. Rodrigues).

constraints (inventory balance with demand and capacity limitations). It determines the quantity and the period to produce each item in order to satisfy a given demand forecast in a planning horizon. In multistage production systems the planning of each item also depends on the planning of other items, lower in the product structure hierarchy.

When capacity constraints and setup costs are considered the MSCLS problem is NP-Hard (Florian et al., 1980), even with equal demands, zero inventory costs and zero setup times. Bitran and Yanasse (1982) showed that several cases of a single item can be solved with a polynomial-time algorithm, and that the problem turns to be NP-Hard when a second item with an independent setup is introduced. When we consider non-zero setup times, the feasibility decision problem becomes NP-Complete (Maes et al., 1991).

There is a vast literature on lot-sizing problems, which can be reviewed by Bahl et al. (1987) and Kuik et al. (1994). Due to the computational complexity of solving the MSCLS problem in an exact way, researchers have chosen to use heuristics (Katok et al., 1998; França et al., 1997; Tempelmeier and Derstroff, 1996; Ozdamar and Barbarosoglu, 2000). Katok et al. (1998) developed a heuristic based on the work of Harrison and Lewis (1996). Their results are compared with IBM's Optimization Subroutine Library (OSL, http://www.research.ibm.com/osl/) solution with limited time of execution. França et al. (1997) presented a heuristic composed of four procedures based on shifts of production between periods. The method starts with a solution given by the Wagner-Whitin (1958) heuristic, which returns a solution that is generally infeasible. After this, different procedures are used with the aim of finding a feasible solution or one with lower cost or even a new initial solution. We use this heuristic as one component of the memetic algorithm (MA) and we compare our results with it since it provides a good benchmark. Tempelmeier and Derstroff (1996) developed a Lagrangean heuristic. They also started with a Wagner-Within solution and then used a smoothing procedure to try to find a feasible solution. We also compare our results with theirs. Ozdamar and Barbarosoglu

(2000) presented another heuristic using Lagrangean Relaxation and Simulated Annealing. They compared their results with the one proposed by Tempelmeier and Derstroff (1996). Unfortunately, the new heuristic did not get better results.

The main objective of this paper is to present heuristic methods based on evolutionary algorithms to address the MSCLS problem, including setup costs and setup times. More specifically, we developed a MA, an evolutionary algorithm that makes use of local search techniques. This technique has been shown to be highly effective for several problems in production planning and scheduling (Moscato, 1999; França et al., 2001; Mendes et al., 2002; Moscato and Cotta, 2003). The local search techniques that we used are the procedures of the heuristic found in França et al. (1997).

This paper is organized as follows. In Section 2 we present a mathematical model for the MSCLS problem. The heuristic found in França et al. (1997) is described in Section 3, due to the fact that it has been used in our MA. In Section 4 we describe the MA that we developed. Finally, in Section 5, we present the results we obtain and we compare it with the heuristics found in França et al. (1997) and Tempelmeier and Derstroff (1996).

#### 2. Problem formulation

The lot-sizing problem we considered in this paper can be described as follows. We have N items to be produced in T periods in a planning horizon such that a demand forecast would be attained. In a multistage production system, the planning of each item depends on the production of other items, which are situated at lower hierarchical levels (Fig. 1). When we decide to produce one item, a fixed cost and time are incurred (setup cost and time). The resources for production and setup are limited. Lead times are assumed to be zero.

Let N be the number of types of items (i = 1, ..., N), T the number of periods in the planning horizon (t = 1, ..., T), K the number of types of resources (k = 1, ..., K),  $c_{it}$  the unit

# دريافت فورى ب متن كامل مقاله

### ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
  - ✓ امكان دانلود نسخه ترجمه شده مقالات
    - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
  - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
    - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات