

Hamilton–Jacobi–Bellman equations and dynamic programming for power-maximizing relaxation of radiation

Stanislaw Sieniutycz *

Faculty of Chemical and Process Engineering, Warsaw University of Technology, 1 Waryńskiego Street, Warsaw 00-645, Poland

Received 26 October 2006

Available online 16 January 2007

Abstract

We treat simulation and power optimization of nonlinear, steady and dynamical generators of mechanical energy, in particular radiation engines. In dynamical cases, associated with downgrading of resources in time, real work is a cumulative effect obtained from a nonlinear fluid, set of engines, and an infinite bath. Dynamical state equations describe resources upgrading or downgrading in terms of temperature, work output and process controls. Recent formulae for converter's efficiency and generated power serve to derive Hamilton–Jacobi equations for the trajectory optimization. The relaxation curve of typical nonlinear system is non-exponential. Power extremization algorithms in the form of Hamilton–Jacobi–Bellman equations (HJB equations) lead to work limits and generalized availabilities. Optimal performance functions depend on end states and the problem Hamiltonian, h . As an example of limiting work from radiation, a generalized exergy flux of radiation fluid is estimated in terms of finite rates quantified by Hamiltonian h .

In many systems governing HJB equations cannot be solved analytically. Then the use of discrete counterparts of these equations and numerical methods is recommended. Algorithms of discrete dynamic programming (DP) are particularly effective as they lead directly to work limits and generalized availabilities. Convergence of these algorithms to solutions of HJB equations is discussed. A Lagrange multiplier λ helps to solve numerical algorithms of dynamic programming by eliminating the duration constraint. In analytical discrete schemes, the Legendre transformation is a significant tool leading to the original work function.

© 2006 Elsevier Ltd. All rights reserved.

1. Introduction

An important class of research on energy limits involves nonlinear systems driven by fluids that are restricted in their amount or flow, i.e. play role of resources. A resource is a valuable substance used in a limited amount in a practical process. Value of the resource can be quantified thermodynamically by specifying its exergy, a maximum work that can be delivered when the resource relaxes to the equilibrium. Reversible relaxation of the resource is associated with the classical exergy. When some dissipative phenomena are allowed generalized exergies are found. They include the resource availability and a minimum work lost

during its production. In the classical exergy only the first property is essential.

To calculate an exergy, knowledge of a work integral is required. For thermal problems its integrand is the product of thermal efficiency and the differential of exchanged energy. Various dissipation models lead to diverse thermal efficiencies that deviate from the Carnot efficiency. In fact, generalized exergies quantify somehow these deviations.

Formally, an exergy follows from the principal function of a variational problem for extremum work under suitable boundary conditions. Other components are optimal trajectory and optimal control. In thermal systems the trajectory is characterized by temperature of the resource, $T(t)$, whereas a suitable control is Carnot temperature $T'(t)$ defined in our previous work [1,2]. Whenever $T'(t)$ differs from $T(t)$ the resource relaxes to the environment with a

* Fax: +48 22 251440.

E-mail address: sieniutycz@ichip.pw.edu.pl

Nomenclature

A^∞	generalized exergy density of resource (J m^{-3})	u and v	temperature rate controls, $dT/d\tau$ and dT/dt , respectively (K , K s^{-1})
A^{class}	density of classical exergy (J m^{-3})	V	maximum performance function (J , or J mol^{-1})
a	temperature power exponent in kinetic equation (–)	v	velocity (ms^{-1})
a_v	total area of energy exchange per unit volume (m^{-1})	W and \dot{W}	work and power (J , J s^{-1})
c_v	specific heat of unit volume ($\text{J m}^{-3} \text{K}^{-1}$)	w	work per unit flux of resource (J/mol)
c	specific heats ($\text{J g}^{-1} \text{K}^{-1}$, $\text{J m}^{-3} \text{K}^{-1}$, $\text{J mol}^{-1} \text{K}^{-1}$)	\mathbf{x}	state vector
D^n, \tilde{D}^n	generalized profit and gauge profit at stage n	$\tilde{\mathbf{x}}$	enlarged state vector including time
DP	dynamic programming	z_k	adjoint variable for k th coordinate
\mathbf{f}	rate vector with components $f_1, \dots, f_k, \dots, f_s$	<i>Greek symbols</i>	
f_0, f_i	profit rate and process rates	α'	overall heat transfer coefficient ($\text{J m}^{-2} \text{s}^{-1} \text{K}^{-1}$)
G	gauge function	β	coefficient, frequency constant (s^{-1})
\dot{G}	resource flux (g s^{-1} , mol s^{-1})	λ	Lagrange multiplier, time adjoint
g_1, g	partial and overall conductance ($\text{J s}^{-1} \text{K}^{-a}$)	$\eta = p/q_1$	first-law efficiency (–)
H	Hamiltonian function	Φ	factor of internal irreversibility (–)
h	Hamiltonian density in entropy units ($\text{J m}^{-3} \text{K}^{-1}$)	θ	time interval (s , –)
l_0	Lagrangian, intensity of generalized cost	ξ	intensity index (–)
p	power output (J s^{-1})	τ	non-dimensional time or number of heat transfer units (x/H_{TU}) (–)
R	minimum performance function (J , or J mol^{-1})	<i>Subscripts</i>	
S, S_σ	entropy and entropy produced (J K^{-1})	k	k th state variable
T	variable temperature of resource fluid (K)	m	molar flow
T_1, T_2	bulk temperatures of reservoirs 1 and 2 (K)	$1, 2$	first and second fluid
T_1', T_2'	temperatures of circulating fluid (Fig. 3) (K)	*	modified cost or profit
T^n	temperature after stage n (K)	<i>Superscripts</i>	
T^e	constant temperature of environment (K)	e	environment
T'	Carnot temperature control (K)	i	initial state
$\dot{T} = u$	rate of control of T in non-dimensional time (K)	f	final state
t	physical time (s)	'	modified quantity
\mathbf{u}	control vector		

finite rate and the system's efficiency deviates from that of Carnot. Only in the case when $T'(t) = T(t)$ the efficiency is Carnot, but this corresponds with an infinitely slow relaxation rate of the resource to the thermodynamic equilibrium with the environmental fluid.

The structure of this paper is as follows. Section 2 discusses various aspects of steady and dynamical optimization of power yield. Quantitative analysis of processes with resource's downgrading (in the first reservoir) and issues regarding generalization of the classical exergy for finite rates are presented in Section 3. Sections 4–6 display various Hamilton–Jacobi–Bellman (HJB) and Hamilton–Jacobi equations for extremum power production (consumption). Extensions, highlighting systems with complex kinetics (e.g. radiation) and internal dissipation are treated in Section 7. Analytical formulae for generalized exergies of some nonlinear systems are discussed in Section 8. Next, in view of severe difficulties in getting analytical solutions for systems with nonlinear kinetics discretized (difference)

equations and numerical approaches are considered. Section 9 displays difference equations obtained from discretization of the continuous model of power production from the black radiation and presents the dynamic programming equation (DP equation) of the problem. Section 10 discusses convergence conditions of discrete DP schemes to solutions of continuous HJB equations. Section 11 elucidates the solving method by discrete approximations and introduces a Lagrange multiplier as a time adjoint. Section 12 shows the significance of the Legendre transform in recovering original work functions. Section 13 describes numerical procedures using dynamic programming, whereas Section 14 discusses dimensionality reduction in numerical DP algorithms. Section 15 presents most essential conclusions.

The size limitation of the present paper does not allow for inclusion of all suitable derivations to make this paper self-contained, thus the reader may need to turn to some previous works [1,2,4,5].

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات