



ELSEVIER

Applied Energy 67 (2000) 281–292

**APPLIED  
ENERGY**

www.elsevier.com/locate/apenergy

# Performance analysis of an absorption heat transformer with different working fluid combinations

Juan Yin, Lin Shi \*, Ming-Shan Zhu, Li-Zhong Han

*Department of Thermal Engineering, Tsinghua University, PR China*

Received 24 January 2000; received in revised form 27 March 2000; accepted 31 March 2000

---

## Abstract

The absorption heat transformer (AHT) is a promising system for recovering waste heat. It can effectively recover about 50% of the waste heat and reuse it in industrial processes. However, there exists a need for identifying suitable working fluid combinations and for evaluating their relative performance characteristics. As an initial step, this paper presents a comparative performance study for the absorption heat transformer with H<sub>2</sub>O/LiBr, TFE(2,2,2-trifluoroethanol)/NMP(*N*-methyl-2-pyrrolidone), TFE/E181(dimethylether tetraethylene glycol) and TFE/PYR(2-pyrrolidone). The results show that the four working fluid combinations are all suitable for absorption heat transformers. H<sub>2</sub>O/LiBr is suitable at lower operating temperatures, while TFE/NMP, TFE/E181 and TFE/PYR are suitable at higher operating temperatures. © 2000 Elsevier Science Ltd. All rights reserved.

*Keywords:* Absorption heat transformer; H<sub>2</sub>O/LiBr; TFE/NMP; TFE/E181; TFE/PYR

---

## 1. Introduction

In recent years, large quantities of heat from industries have been rejected to the atmosphere as waste water or waste steam which not only wastes energy but also pollutes the atmosphere. The absorption heat transformer can effectively recover about 50% of the waste heat and reuse it in industrial processes [1].

---

\* Corresponding author. Tel.: +86-10-6278-8608; fax: +85-10-6277-0209.

*E-mail address:* lshi@te.tsinghua.edu.cn (L. Shi).

### Nomenclature

<i>COP</i>	coefficient of performance
<i>COP<sub>rev</sub></i>	Carnot coefficient of performance
<i>dx</i>	concentration differentials (kg kg <sup>-1</sup> )
E181	dimethylether tetraethylene glycol
<i>GTL</i>	gross temperature lift (°C)
<i>h</i>	enthalpy (J kg <sup>-1</sup> )
<i>ṁ</i>	mass flow (kg s <sup>-1</sup> )
NMP	<i>N</i> -methyl-2-pyrrolidone
PYR	2-pyrrolidone
<i>Q</i>	heat flow (kW)
<i>T</i>	temperature (°C or K)
TFE	2,2,2-trifluoroethanol
<i>x</i>	salt mass fraction (kg kg <sup>-1</sup> )
<i>η<sub>ex</sub></i>	exergy efficiency
<i>φ</i>	economizer effectiveness

### Subscripts

AB	absorber
CO	condenser
EV	evaporator
GE	generator
SO	heat source
o	output
i	input
1...10	refer to state points of the cycle shown in Fig. 1

Even though the absorption heat transformer has been reported to be a promising candidate for boosting the thermal level of waste heat sources, suitable working fluid combinations need to be identified and their relative performance characteristics need to be evaluated. A comparative thermodynamic analysis is the initial step. Such a study is presented here using H<sub>2</sub>O/LiBr, TFE(2,2,2-trifluoroethanol)/NMP(*N*-methyl-2-pyrrolidone), TFE/E181(dimethylether tetraethylene glycol) and TFE/PYR(2-pyrrolidone) as the working fluid combinations. The main advantages of H<sub>2</sub>O/LiBr are: high enthalpy of evaporation, high heat and mass transfer, non-toxicity, no need for rectification apparatus, etc. The main disadvantages are its corrosiveness and crystallization at high temperatures. The main advantages of TFE/NMP, TFE/E181 and TFE/PYR are: high thermal stability, high output heat temperature, flat vapor pressure curve and strong negative deviation from Raoult's law. The main disadvantages are their toxicity, since they all have the same toxicity as ammonia.

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات