



# Performance analysis and optimization of straight taper fins with variable heat transfer coefficient

B. Kundu<sup>1</sup>, P.K. Das<sup>\*</sup>

*Department of Mechanical Engineering, Indian Institute of Technology Kharagpur, Kharagpur 721 302, India*

Received 12 August 1999; received in revised form 24 May 2002

## Abstract

In the present paper, the thermal analysis and optimization of straight taper fins has been addressed. With the help of the Frobenius expanding series the temperature profiles of longitudinal fin, spine and annular fin have been determined analytically through a unified approach. Simplifying assumptions like length of arc idealization and insulated fin tip condition have been relaxed and a linear variation of the convective heat transfer coefficient along the fin surface has been taken into account. The thermal performance of all the three types of fin has been studied over a wide range of thermo-geometric parameters. It has been observed that the variable heat transfer coefficient has a strong influence over the fin efficiency. Finally, a generalized methodology has been pointed out for the optimum design of straight taper fins. A graphical representation of optimal fin parameters as a function of heat duty has also been provided.

© 2002 Elsevier Science Ltd. All rights reserved.

## 1. Introduction

Fins or extended surfaces are widely used to augment the rate of heat transfer from the primary surface to the ambient medium in a large variety of thermal equipment. An accurate analysis of heat transfer in fins has become crucial with the growing demand of high performance of heat transfer surfaces with progressively smaller weights, volumes, initial and running cost of the system. Over the years different fin shapes have been evolved depending upon the application and the geometry of the primary surface. Kern and Kraus [1] have identified three main fin geometries. These are longitudinal fins, radial or circumferential fins and pin fins or spines. For any of the above geometry, fins with straight profile or constant thickness are a common choice as they can be manufactured easily. The thermal design of a constant thickness fin is also relatively simple. However, in any fin the temperature difference reduces from the fin base to fin tip. Accordingly, a saving of fin material can be obtained by progressively narrowing down the fin section. This has initiated a lot of exercises for the determination of optimum fin shapes so that the fin volume is minimum for a given rate of heat dissipation or the rate of heat dissipation is maximum for a given fin volume. The criteria for optimum fin profile under convective conditions was first proposed by Schmidt [2] based on a physical reasoning. Later on Duffin [3] proved Schmidt criteria using calculus of variation. Both Schmidt [2] and Duffin [3] estimated the fin surface area neglecting the profile curvature. This has formed a major assumption in further exercises of fin optimization and is known as length of arc idealization (LAI) in literature. LAI was used for optimizing fin shapes under convecting, radiating, convective-radiating condition [4], for fins with heat generation [5] and for variable thermal conductivity.

<sup>\*</sup> Corresponding author.

E-mail addresses: [bkundu123@rediffmail.com](mailto:bkundu123@rediffmail.com) (B. Kundu), [pkd@mech.iitkgp.ernet.in](mailto:pkd@mech.iitkgp.ernet.in) (P.K. Das).

<sup>1</sup> Present address: Department of Mechanical Engineering, Jalpaiguri Government Engineering College, Jalpaiguri 735 102, West Bengal, India.

### Nomenclature

$Bi$	Biot number, $h_{av}y_b/k$
$h$	heat transfer coefficient ( $W/m^2 K$ )
$h_b$	heat transfer coefficient at the fin base ( $W/m^2 K$ )
$h_{av}$	average heat transfer coefficient ( $W/m^2 K$ )
$h_e$	heat transfer coefficient at the tip ( $W/m^2 K$ )
$J$	Jacobian
$k$	thermal conductivity of fin material ( $W/m K$ )
$L$	length of the fin, see Fig. 1 (m)
$m, n$	constants used in Eq. (1)
$m_p$	dimensionless parameter defined in Eq. (4)
$q$	actual heat transfer rate of a fin (W)
$Q$	non-dimensional actual heat transfer rate defined in Eq. (20)
$q_i$	ideal heat transfer rate (W)
$Q_i$	non-dimensional ideal heat transfer rate defined in Eq. (23)
$r_i$	base radius, see Fig. 1c (m)
$R_i^*$	dimensionless radius parameters, $h_{av}r_i/k$
$r_o$	outer radius of an annular fin (m)
$R_o$	radius ratio, $r_o/r_i$
$T$	local fin temperature (K)
$T_a$	temperature of the surrounding gas medium of the fins (K)
$T_t$	tip temperature (K)
$T_w$	fin base temperature (K)
$U$	dimensionless fin volume defined in Eq. (25)
$V$	fin volume ( $m^3$ )
$x, y$	Cartesian coordinates (m)
$X, Y$	$x/L, y/y_b$ respectively
$y_b$	fin base semi-thickness (m)
$y_e$	fin tip semi-thickness (m)
$Z_0$	fin parameter, $\sqrt{Bi}/\psi$

### Greek symbols

$\alpha$	parameter defined in Eq. (4)
$\beta$	tip loss parameter, $2\psi/(1 + \epsilon)$
$\delta$	dimensionless parameter, $Bi/\psi$
$\epsilon$	ratio of base to tip heat transfer coefficient, $h_b/h_e$
$\eta$	fin efficiency
$\lambda$	ratio of tip to base fin thickness, $y_e/y_b$
$\nu$	parameter defined in Eq. (4)
$\psi$	aspect ratio, $y_b/L$
$\theta$	dimensionless temperature, $(T - T_a)/(T_w - T_a)$
$\theta_0$	excess base temperature, $T_w - T_a$ (K)
$\theta_t$	dimensionless tip temperature, $(T_t - T_a)/(T_w - T_a)$
$\zeta$	dimensionless parameter defined in Eq. (4)

Maday [6] in his pioneering analysis proposed the correct formulation for the optimization of longitudinal fin with the elimination of LAI and obtained a profile much different from Duffin [3]. Guceri and Maday [7] further extended this analysis for radial fins.

However, fin shapes determined by the above procedure are complex and difficult to manufacture. These fins have structurally weak slender tips, which do not substantially contribute to the overall heat dissipation. This has resulted in a parallel effort to design optimum fins where the fin shape is specified a priori and fin dimensions are determined to give maximum heat dissipation for a given fin volume.

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات