

# The role of parenting experiences in the development of social anxiety and agoraphobia in the eating disorders

Hendrik Hinrichsen<sup>a,b,\*</sup>, Alexandra Sheffield<sup>c</sup>, Glenn Waller<sup>a,c</sup>

<sup>a</sup> *Eating Disorders Section, Institute of Psychiatry, King's College London, UK*

<sup>b</sup> *St. George's Eating Disorders Service, South West London and St. George's NHS Trust, London, UK*

<sup>c</sup> *Vincent Square Eating Disorders Clinic, Central and North West London NHS Mental Health Trust, London, UK*

Received 18 July 2005; received in revised form 3 October 2006; accepted 6 November 2006

---

## Abstract

While social anxiety and agoraphobia are commonly observed in patients with eating disorders, little is known about the types of family environment that may predispose patients to the development of these types of comorbid anxiety problem. The present study investigated whether social anxiety and agoraphobia in patients with eating disorders are linked to different types of parenting experiences. A sample of 70 women meeting DSM-IV criteria for an eating disorder completed self-report measures of social anxiety, agoraphobia and perceived parenting experiences. Social anxiety in patients with eating disorders is associated with emotionally inhibited parenting by fathers (i.e., parenting that reflects a lack of ability to share feelings with the child), while agoraphobia is associated with anxious/fearful parenting by mothers (i.e., parenting that reflects anxious, fearful traits in the parent and a pessimistic outlook on life). Specific parenting experiences may contribute to the development of comorbid social anxiety and agoraphobia in patients with eating disorders. Implications for future research and clinical practice are discussed.

© 2006 Elsevier Ltd. All rights reserved.

*Keywords:* Social anxiety; Agoraphobia; Parenting; Eating disorders; Cognition; Aetiology

---

Anxiety disorders are common among patients with eating disorders, and frequently predate the emergence of the eating disorder (Bulik, 2003). This finding has led clinicians and researchers to suggest that anxiety plays a significant role in the aetiology and maintenance of these problems (e.g., Arnow, Kenardy, & Agras, 1992; Arnow, Kenardy, & Agras, 1995). For example, Rosen and Leitenberg (1985) have proposed that in bulimic disorders vomiting serves to reduce patients' anxiety about changes in their shape and weight following a binge. Two of the most commonly observed comorbid anxiety problems in the eating disorders are social anxiety and agoraphobia (e.g., Schwalberg, Barlow, Alger, & Howard, 1992). Social anxiety is a fear of social situations in which an individual may be exposed to unfamiliar people or the scrutiny of others. In these situations, the person fears that they will act in a way (or show signs of anxiety) that will lead to humiliation or embarrassment. In contrast, agoraphobia is anxiety about being in places or

---

\* Corresponding author. Eating Disorders Section, Division of Psychological Medicine, Institute of Psychiatry, De Crespigny Park, London SE5 8AF, UK. Tel.: +44 20 8682 6747; fax: +44 20 8682 6724.

E-mail address: [hendrik.hinrichsen@gmx.net](mailto:hendrik.hinrichsen@gmx.net) (H. Hinrichsen).

situations from which escape might be difficult. Sufferers fear that they will not be able to obtain help in the event of a panic attack or panic symptoms (DSM-IV-TR; [American Psychiatric Association, 2000](#)).

Addressing such comorbid anxiety states depends on being able to identify and modify the cognitions that drive them. [Hinrichsen, Waller and Emanuelli \(2004\)](#) have shown that social anxiety and agoraphobia in the eating disorders are linked to different core beliefs (unconditional negative beliefs about the self, other people or the world). They found that high levels of social anxiety are associated with abandonment beliefs (the belief that significant others will not continue providing emotional support) and with emotional inhibition beliefs (the belief that one should inhibit the expression of spontaneous feelings to avoid disapproval by others). In contrast, agoraphobia is associated with vulnerability to harm beliefs (the belief that a catastrophe is about to strike and that one will not be able to prevent it). Unlike more superficial cognitions, modification of core beliefs requires an understanding of their origins ([Young, Klosko, & Weishaar, 2003](#)). Speculating on the origins of negative core beliefs, [Young \(1999a\)](#) has proposed that they develop in childhood, partly as a result of a person's parenting experiences. While they may have an adaptive function in a child's early environment (e.g., a vulnerability to harm core belief might help to protect a child from physical abuse), they can become maladaptive in adulthood once the person's circumstances change (e.g., they are in a loving and supportive relationship) if the person continues to act in accordance with the core belief.

[Sheffield, Waller, Emanuelli, Murray and Meyer \(2005\)](#) tested [Young's \(1999a\)](#) hypotheses regarding the links between patients' perceived parenting experiences and the presence of core beliefs. They used the Young Parenting Inventory (YPI; [Young, 1999b](#)) — a clinical measure designed specifically for this purpose. While they did not find all of Young's hypothesized links to be supported, a shorter version of the YPI (the YPI-R) showed meaningful associations between parenting experiences and core beliefs. [Sheffield et al. \(2005\)](#) identified nine types of parenting experiences that can be linked to the development of specific core beliefs. Combining the findings of that study with those of [Hinrichsen et al. \(2004\)](#), it can be hypothesized that punitive parenting (parenting that is punitive of the child's mistakes) contributes to the development of abandonment and emotional inhibition core beliefs, which in turn makes it more likely that the individual will develop social anxiety. In contrast, pessimistic/fearful parenting (parenting that reflects fearful traits in the parent and a pessimistic outlook on life) is likely to contribute to the development of vulnerability to harm core beliefs, making it more likely that the individual develops agoraphobia.

This study tests this hypothesized set of links between eating-disordered patients' perceived parenting experiences and their levels of comorbid social anxiety and agoraphobia. We predicted that punitive parenting would be associated with high levels of social anxiety, while pessimistic/fearful parenting would be associated with higher levels of agoraphobia in patients with eating disorders.

## 1. Method

### 1.1. Participants

The participants were 70 female patients who had been referred to a specialist eating disorder service. They were consecutive referrals, with the exception of males and any individuals who did not meet full DSM-IV-TR criteria ([American Psychiatric Association, 2000](#)) for any of the identified diagnoses. The sample consisted of 17 patients with anorexia nervosa of the restrictive subtype, 10 with anorexia nervosa of the binge-purge subtype, 19 with bulimia nervosa, and 24 with an eating disorder not otherwise specified (EDNOS, including binge eating disorder). The participants had a mean age of 27.9 years ( $SD=8.76$ , range=17–56), and their mean body mass index (BMI) was 22.9 ( $SD=11.53$ , range 12.8–63.5).

### 1.2. Measures and procedure

All participants completed two self-report questionnaires at assessment, to avoid the danger of contamination of the data by treatment effects. Their heights and weights were also assessed objectively, in order to calculate their body mass index ( $BMI = \text{weight [kg]} / \text{height [m]}^2$ ).

#### 1.2.1. Social Phobia and Anxiety Inventory (SPAI: [Turner, Beidel, Dancu, & Stanley, 1989](#))

The SPAI is a 45-item self-report measure of social anxiety and agoraphobia. It has a high test–retest reliability and good internal consistency, and it is capable of differentiating social phobics from controls and from patients with other

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات