



# The influence of personality traits such as psychopathy on detained patients using the NHS complaints procedure in forensic settings

Mairead Dolan\*, James Millington

*Edenfield Centre, Mental Health Services of Salford, Bury New Road, Prestwich, Manchester M25 3BL, UK*

Received 13 June 2001; received in revised form 1 November 2001; accepted 19 November 2001

---

## Abstract

The current study examined the role of personality factors (particularly psychopathy) in the use of the NHS complaints procedure in forensic in-patients as there appears to be little literature in this field. Forty-six complainants were identified from the computerised information systems at a 60-bedded medium secure unit between April 1996 and April 2000. Scores on the Psychopathy Checklist: Screening Version (PCL:SV) in this sample were compared with a matched sample of 46 in-patients, who had not made a complaint (formal or informal) during the study period. Among the complainants few complaints were upheld. Complainants had significantly higher PCL:SV scores and higher incident rates than non-complainants. Key items on the PCL:SV that distinguished complainants from non-complainants were “grandiosity” and “does not accept responsibility”. Patient factors particularly psychopathic traits may be a much more important factor in the use of the complaints procedure in in-patient psychiatric settings than was initially envisaged. Complaints investigators need to be more aware of the influence of personality factors in patient satisfaction with care. © 2002 Elsevier Science Ltd. All rights reserved.

*Keywords:* Personality; Psychopathy; NHS complaints; Medium security

---

## 1. Introduction

There is a growing interest in the use of consumer satisfaction as a measure of outcome of psychiatric care. Lebow (1982) reviewed the literature on patient satisfaction with mental health treatment and highlighted a number of methodological problems with survey based assessments including low response rates, sampling bias and reliability and validity of patient satisfaction

---

\* Corresponding author. Tel.: +44-161-772-3619; fax: +44-161-772-3446.

*E-mail address:* mdolan@edenfield.mhss-tr.nwest.nhs.uk (M. Dolan).

data. Others have reported biases in the evaluation of satisfaction due to what has been labelled acquiescence (El-Guebaly, Toews, Leckie, & Harper, 1983). Complaints and compliments about services provide an alternative source of data on satisfaction. These offer the advantage of being specific in focus, important for the patient and less reactive than survey data. By reviewing unsolicited complaints and their outcome it is possible, however, to assess both the quality of care and patients' perceptions of their care (Schwartz & Overton, 1987). The current NHS complaints procedure (DOH, 1994), which can be viewed as a proxy measure of unsolicited complaints, was implemented in April 1996 to address complaints in hospital and community services using a two-stage process: local resolution (LR) followed by independent review (IR) if appropriate. Most studies on complaints focus on physical health care (Burstein & Fleisher, 1991; Curka, Pepe, Zachariah, Gray, & Matsumoto, 1995; Schwartz & Overton, 1987) and there is limited information on complaints in mental health settings (Ingram & Roy, 1995; Pitarka-Carcani, Szmukler, & Henderson, 2000). Furthermore, published data generally concentrates on the nature and types of complaints generated, monitoring system failures or the profiles of professionals or institutions against which complaints are made (DOH, 1995; Griffiths, 1996; NHSE, 1996; Reid, Reid, & Morris, 1995). Relatively little is known about the profile of complainants other than basic demographic characteristics although it has been postulated that patient satisfaction may relate subjective attitudes to life and illness behaviour as well as systems of care (Allen, Baigent, Kent, & Bolton, 1993).

Although levels of patient satisfaction in mental health settings tend to be relatively high a number of studies indicate that demographic variables such as age, sex and education do not significantly influence levels of satisfaction (Kalman, 1983; Weinstein, 1979). Race, however, appears to have some influence with minority groups reporting less satisfaction (Larsen, Attkisson, Hargreaves, & Nguyen, 1979). There is also evidence that patient satisfaction tends to be lower in mental health rather than other health care programs (Hoff, Rosenheck, Meterko, & Wilson, 1999) and that psychiatric diagnosis and chronicity of illness are key factors associated with low rates of patient satisfaction (Lehman & Zastowney, 1983). Several studies suggest that compulsorily detained patients are more dissatisfied than those admitted voluntarily (Gove & Fain, 1977; Hansson, 1989; Kalman, 1983; Shannon, 1976). It has also been shown that patients with poor prognosis express less satisfaction with services and treatment (Woodward, Santa-Barbara, Levin, & Epstein, 1978).

In studies looking at psychiatric diagnosis an association has been shown between low levels of satisfaction and psychosis, drug abuse and suicidal behaviour (Lebow, 1982). Relatively little is known about the influence of personality factors on satisfaction. Kelstrup, Lund, Lauritsen, and Bech (1993), however, demonstrated that patients with antisocial and borderline personality disorder had significantly lower levels of satisfaction than those with affective disorder and schizophrenia. Svensson and Hansson (1994) in a questionnaire study also reported that Swedish patients with higher levels of trait aggressive nonconformity on personality measures were significantly less satisfied with the ward environment and treatment than patients who scored low on these traits.

To date, there are no published studies on the nature or type of unsolicited complaints generated by patients in forensic units where care and treatment is often compulsory and protracted and would be expected to be associated with a high frequency of complaints about staff, treatment and environment. We investigated the nature and type and outcome of complaints in a

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات