

Caveat mercator in electronic commerce: An update

Daniel G. Conway^{a,*}, Gary J. Koehler^b

^a Operations and Decision Technologies, 570 Kelley School of Business, Indiana University, Bloomington, IN 47405, United States

^b Information Systems and Operations Management, 351 BUS, The Warrington College of Business Administration, University of Florida, Gainesville, FL 32611, United States

ARTICLE INFO

Article history:

Received 24 October 2007

Received in revised form 4 June 2008

Accepted 19 June 2008

Available online 6 July 2008

Keywords:

Interface Agent
Seller beware
eCommerce

ABSTRACT

Conway and Koehler presented a new type of software agent that converted merchant interfaces into middleware that enabled a user to bring to bear powerful decision support tools in eCommerce transactions. They called them Interface Agents. These agents operated directly through the human interface and were largely indistinguishable from a human user. They illustrated their ideas with an agent that could play optimal Blackjack at the then emerging online casinos. They discussed possible merchant countermeasures. In this paper we look back at this setting and see what evolved and how such agents have fared. We reassess their proposed countermeasures and update them based on the ever evolving cat-and-mouse game between such agents and merchants.

© 2008 Elsevier B.V. All rights reserved.

1. Background

Based on research started in 1997, Conway and Koehler [9] (CK forthwith) presented a new type of software agent that converted merchant interfaces into middleware that enabled a user to bring to bear powerful decision support tools in eCommerce transactions. They called them Interface Agents (see Fig. 1). These agents operated directly through the human interface and were largely indistinguishable from a human user.

At the time, considerable academic research attention was directed at consumer issues in online commerce like privacy, trust, vendor viability, product quality, etc. “As a result, CK raised a related but seldom considered concern in eCommerce. They stated “Consumers can do things in an on-line environment that are simply not possible otherwise. In an on-line environment, consumers have computing resources not normally available in face-to-face transactions.” They termed this situation “Caveat mercator” – seller beware. Their proposed Interface Agent made this clear.

As a pre-cursor to their proposed agent, CK noted that an early software agent, BargainFinder, led to merchants blocking its usage.

These tools enable an agent to discover hard-to-see opportunities – or opportunities never exploited when the tools could not be used or not used effectively. These may not be anticipated by merchants nor easily thwarted.” Conway and Koehler [9]

In fact, soon after BargainFinder was blocked, Jango (<http://www.jango.com/>) side-stepped the merchant blocking ability. Intelligent software agents continue to evolve [15,25]. Since the CK study, online merchants have had to contend with ever more creative technologies and users. Often such users' goals are fraud related rather than just smart usage of computers in business decisions and transactions. For example, Goldsmith and Wu [12] noted recently that eBay had earlier relied on self-policing with a feedback forum to control fraud but by 2005 had a staff of 800 full-time security professionals.

The architecture of a typical Interface Agent is shown in Fig. 2 and builds on previous agent architectures [6]. Briefly, sensors observe the human interface – consisting of icons, buttons, lists, images, etc. – to capture the state of an application. For example, screen scraping and optical character recognition methods capture graphical text; window messaging techniques capture text from lists and structural information such as titles; and pattern recognition methods help decipher images or fanciful text displays. Actuators would perform actions like button clicking, keyboard inputs

* Corresponding author.

E-mail addresses: dgconway@indiana.edu (D.G. Conway), koehler@ufl.edu (G.J. Koehler).




Fig. 1. Interface Agent.

to text-fields, mouse movements, and the like. These are indistinguishable from human actions but are issued using programmatic methods controlled by the Interface Agent. The assessment component decided on how to navigate the interface, fill-in information or call up a decision support system (DSS) component to make decisions. It also monitored responses to check for consistency, merchant “cheating” or mistakes.

Li and Sun [24] extend the idea of an Interface Agent “to provide a causal connection between the application interfaces and the knowledge model of the Interface Agent.” They term these Reflective Intelligent Interface Agents. Others have offered related ideas. For example Vahidov and Kersten [29] promote an architecture, called decision stations, that merge an active DSS with agent technology. Vahidov and Fazlollahi [28] look at yet another approach.

CK illustrated their ideas with an agent that could play optimal Blackjack at one of the then emerging online casinos. Briefly, some casino games can be beaten by an astute player employing optimal (or at least near-optimal) game play. Under the then prevailing rules, Blackjack is one such game.

“Playing blackjack optimally is not easy for a human being. One must track the state of the remaining cards and vary their playing and betting strategy. Optimal play depends only on the state of the deck, the dealer’s exposed card, one’s hand and the rules of play. Optimal bets depend on the current state of a blackjack deck, the rules of play and the current bank size of the bettor. The sheer number of states possible prohibits one from knowing optimal betting in a traditional casino setting where such information must be memorized. Optimal play beyond that for a full deck is virtually impossible to know with certainty. Both optimal betting and optimal play are approximated by professional blackjack players in real casinos” Conway and Koehler [9] “However, in on-line casino gambling, one can employ computer-assisted play and betting with impunity and play optimally.” Conway and Koehler [9]

Using an Interface Agent having a DSS that could determine optimal play given the current Blackjack game state, they tested their agent to play at Island Casino (an online casino

that has since been absorbed by a competitor) which used a browser-based java applet to deliver the game interface.

CK reported the results of roughly 85 hours of play (28,910 hands) by their Interface Agent. Each hand of play

“... includes interpreting the screen (determining the original cards dealt, the new cards dealt during the hand’s play, the outcome, any status messages, etc.) deciding how much to bet, deciding how to optimally play the hand (both with the original hand and any subsequent decisions as the hand was played-out), all the back and forth communication to the casino, etc.” Conway and Koehler [9]

The net result was profitable as predicted. Furthermore, the monitoring component detected no significant deviations from expected outcomes. That is, it appeared the casino was offering a fair game.

In the long run, no merchant (the casino in their study) could survive if a significant portion of its consumer base used an Interface Agent to attain unanticipated transactional advantages. CK documented changes made by Island Casino to thwart professional play during the course of their research (about a 9 month period). They also discussed possible merchant countermeasures.

In Section 2 we review the merchant countermeasures recommended by CK and look back over the almost 10 years since their research to see what happened to provide a backdrop to suggest a new slate of possible merchant countermeasures in Section 3. In the intervening years several Interface Agents emerged. Two were proprietary and not available for general use. One, LS, played at a large number of different online casinos and games. A second one, called PRO, played in online games of skill. These systems and WinHoldEm (<http://www.winholdem.net/>) developed by Ray E. Bornert II to play Texas Hold’Em, are documented in the Appendix. The experiences with these are used as anecdotal information in the remainder of the paper. Although these agents were used in online casino games and in online games of skill, they are not the only enterprises vulnerable to Interface Agent use. In Section 4 we discuss other examples and general




Fig. 2. Interface Agent architecture.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات