



Pergamon

Technovation 20 (2000) 631–641

technovation

www.elsevier.com/locate/technovation

Current and future patterns of using advanced manufacturing technologies

Hongyi Sun *

Department of Manufacturing Engineering and Engineering Management, City University of Hong Kong, 83 Tat Chee Avenue, Kowloon, Hong Kong, People's Republic of China

Received 17 October 1999; received in revised form 12 November 1999; accepted 17 January 2000

Abstract

This article records the findings from the survey about the pattern of current uses and future tendency of Advanced Manufacturing Technologies (AMT). The empirical data come from the project International Manufacturing Strategy Survey (IMSS) which covers 18 countries. It was found that CAD, MRP, LAN, and CNC machines are the most popular AMTs used now. It seems that there is a sequence of adopting AMT, namely from simple to complicated. Green field and fully-integrated CIM systems seem to be rare. In three years, the uses of CAPP and shared database will significantly increase, which indicate the increase in integration level of manufacturing system. However, the main configuration of manufacturing will be stand-alone, islands of automation, and limited integration. Fully computerised integration in manufacturing system will unlikely be the main model in the near future. Regarding the relationship between AMT uses and performance improvement seems to be complicated and a couple of different patterns are identified. Practical implications, limitations and future research are also discussed finally. © 2000 Elsevier Science Ltd. All rights reserved.

Keywords: AMT; Patterns of uses; Performance; Survey

1. Introduction

Advanced Manufacturing Technologies (AMT) refers to computer-aided technologies used in manufacturing companies. Noori (1990) defined AMTs as new technologies which are used directly by the firm in the production of a product. Youssef (1992) and Burgess and Gules (1998) distinguish hard-based from soft-based AMTs. Hard-based AMT refers mainly to physical technologies used in engineering, processing and administration. While soft-based AMT covers Total Quality Management (TQM) and Just In Time (JIT). This research will look at those AMTs, in which computer systems and/or computer-controlled equipment are involved. For example, in a Flexible Manufacturing System (FMS), both hard equipment and a computer control system are involved. In a Material Requirement Planning

(MRP) system, only a computer system is involved. Other soft AMTs like TQM and JIT, in which computer systems may not necessarily be used, are omitted in this research.

The need to achieve cost efficiency, quality, and flexibility without trade-off is necessary, and has imposed a major challenge to the manufacturing industry in the nineties and beyond. The manufacturing issues under the challenges are as follows (Goetsch, 1990, p.305; Ferdows and De Meyer, 1986; Bessant, 1990 etc.):

1. Reduction of lead time to satisfy customer.
2. Getting new product to market more quickly
3. Flexibility to adapt to changes in market.
4. Improvement of product quality.
5. Reduction in cost.
6. Customer service.

AMT has widely been regarded as a new and valuable weapon to rise to the challenge proposed by the new market situation to manufacturing industries (Hunt,

* Corresponding author. Tel.: +852-2788-9587; fax: +852-2788-8423.

E-mail address: mehsun@cityu.edu.hk (H. Sun).

1987; Noori, 1990). In the past 20 years, AMT has been widely used by manufacturing companies all over the world. However, world-wide research found that not all AMT perform as expected. Some AMT perform very bad and leads to a total failure. Some AMTs perform “satisfactory”, but did not produce the full benefits. Other AMTs perform well on the shop floor level, while the business performances of the companies were not improved (Voss, 1988). All these problems have caught the attention of both researchers and practitioners. Since the beginning of the 1980s, management of technology, especially implementation of AMT has been a hot topic (Voss, 1988). Other researchers investigated the relationship between the uses of AMT and performance improvement. The relationship was investigated conceptually (Macbeth, 1989, p.71; Bishop and Schofield, 1989, p.44), by case studies (Sohal, 1996; Sun et al., 1999) or by survey (Sun, 1996; Small, 1998). However, there is a big gap in recent literature about the patterns of AMT uses and the future tendency of its uses. This research aims to investigate these based on the empirical data from 18 countries. The pattern or sequence of AMT adoption, the future tendency of AMT uses, and their contributions will also be investigated. The research will contribute to identifying the configurations of current and future manufacturing systems.

This article is structured as follows. After this introduction section, literature review and research framework will be introduced in the second section. Research method and empirical data will be described in the third section. The analysis results will be presented in the fourth section. Conclusions and implications will be discussed in the last section.

2. Advanced Manufacturing Technology and Computer Integrated Manufacturing

AMT are the main technical components of Computer Integrated Manufacturing (CIM) systems. Although a CIM system contains many AMT such as Computer-Aided Manufacturing (CAM), Computer-Aided Design (CAD) and Computer-Aided Process Planning (CAPP), it is more than a group of advanced and automated technologies. CIM is the term used to describe the modern approach of manufacturing (Haywood, 1990). The main feature of CIM is the total integration of all manufacturing functions, including design, engineering, planning, control, fabrication, and assembly etc. through the use of computers. So CIM is a comprehensive measure of computerised integration and information sharing in a manufacturing system. According to the CIM wheel model by the Society of Manufacturing Engineers (SME), there are one business and four technical components of a CIM system (Goetsch, 1990). The four technical components are planning and controlling, infor-

mation resources management, product and process definition, and factory automation. The four components and relevant AMTs involved are described below (Groover, 1987; Goetsch, 1990; Singh, 1996; Kotha and Swamidass, 1998).

The planning and controlling component includes such elements as planning/scheduling and controlling of facilities, materials, tools and shop floor activities. Hardware and software are available to automate each of the elements. MRP, as well as Manufacturing Resources Requirement (MRP II), is an important concept with a direct relationship to CIM. MRP involves using the bill of materials, production schedule, and inventory records to produce a comprehensive, detailed schedule of the raw materials and components needed for a job (Chase and Aquilano, 1997). As other manufacturing technologies have evolved from automation to integration, MRP has also developed. The new version of MRP, known as MRP II, goes beyond determining materials requirement to also encompassing financial tracking and accounting. MRP II is particularly well suited to the integrated approach represented by CIM.

Information resources management is the nucleus of CIM. Information, updated continually and shared instantaneously, is what CIM is all about. One of the major goals of this nucleus is to overcome the barriers that prevent the complete sharing of information among all other CIM components. The AMTs used for this purpose include Shared Databases (Shared DB), Wide Area Network (WAN), and Local Area Network (LAN). Each of these represents different levels of information integration and sharing. In addition to these stand-alone and islands of automation technologies, the term CIM is also a comprehensive measure of computerized information sharing.

The product and process definition component of the CIM wheel contains three elements: design, analysis and simulation, and documentation. This is the component where products and process are designed, engineered, tested through simulation, and documented through drawing specifications and other tools. Stand-alone technologies include Computer-Aided Design (CAD) which can be used to automate the drawing and analysis process and Computer-Aided Engineering (CAE) which can automate the simulation and analysis process. The islands of automation in this component is Computer-Aided Process Planning (CAPP) which aims to link design, engineering and manufacturing processes by converting design parameters into processing codes.

The factory automation component contains those elements that are associated with fabricating and assembling products, for example, material handling, assembling, inspecting and testing, and materials processing (i.e. fabricating). The AMT technologies suited to these elements include Numerical Control/Computer/Direct (NC/CNC/DNC), Computer-

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات