



Problem Solving and Problem Orientation in Generalized Anxiety Disorder

ROBERT LADOUCEUR, PH.D., FRANCE BLAIS, M.P.S., MARK H. FREESTON, PH.D., AND MICHEL J. DUGAS, PH.D.

École de Psychologie, Université Laval, Québec, Canada

Abstract—The present study's main objective is to examine whether problem orientation and problem-solving skills differ according to generalized anxiety disorder (GAD) symptom level or clinical status (seeking help for GAD). Its secondary goal is to examine whether two cognitive variables (intolerance of uncertainty and beliefs about worry) vary according to GAD symptom level or clinical status. Three groups of subjects participated in the study: (a) nonclinical moderate worriers ($N = 15$), (b) nonclinical subjects meeting GAD criteria by questionnaire ($N = 14$), and (c) GAD patients ($N = 14$). Problem orientation and problem-solving skills were measured with the Social Problem-Solving Inventory (D'Zurilla & Nezu, 1990) and the Problem-Solving Inventory (Heppner & Petersen, 1982), whereas the cognitive variables were assessed with the Intolerance of Uncertainty questionnaire (Freeston, Rhéaume, Letarte, Dugas, & Ladouceur, 1994) and the Why Worry? questionnaire (Freeston, Rhéaume et al., 1994). The results show that problem orientation, intolerance of uncertainty, and beliefs about worry were similar in subjects meeting GAD criteria by questionnaire and GAD patients, whereas moderate worriers had different scores on these variables. Thus, these variables are more highly affected by GAD symptom level than by clinical status. The results also show that problem-solving skills were unaffected by symptom level and clinical status, thereby indicating that knowledge of problem-solving skills is unrelated to both GAD symptom level and GAD clinical status. The findings are discussed in terms of their theoretical and clinical implications. © 1998 Elsevier Science Ltd

In the field of clinical psychology, problem-solving deficits have been associated with an impressive number of psychological disorders. For instance, poor problem solving has been identified in agoraphobia (Brodbeck & Michelson, 1987), posttraumatic stress disorder (Nezu & Carnevale, 1987), depression

The research described in this article was financially supported by grants from the Fonds de la Recherche en Santé du Québec and the Medical Research Council of Canada.

Requests for reprints should be sent to Robert Ladouceur, Ph.D., École de psychologie, Université Laval, Québec, Canada, G1K 7P4.

(Heppner, Baumgardner, & Jackson, 1985) and pathological gambling (Ladouceur, Boisvert, & Dumont, 1994). Recently, a number of researchers have suggested that ineffective problem solving may be related to excessive worry. Borkovec (1985) noticed that although high worriers are experts in identifying potential problems, they remain ineffective problem solvers as they seem to have difficulty implementing solutions. However, this observation does not necessarily imply that high worriers lack solution implementation skills; they may have deficits in other problem-solving steps, which impede the implementation of potential solutions. In fact, a number of studies suggest this may be the case. For instance, Davey (1994) showed that nonclinical high worriers do not appear to lack problem-solving ability *per se*. However, he found that they do have poor problem-solving confidence and poor perceived control over the problem-solving process, both of which contribute to poor problem orientation. Problem orientation refers to the person's general response set when faced with a problem and does not include a set of specific skills. It may be described as a higher order metacognitive activity that defines the individual's general orientation to problems. Our own research team has shown that nonclinical worry is associated with poor problem orientation but appears to be unrelated to knowledge of problem-solving skills (Dugas, Freeston, & Ladouceur, *in press*; Dugas, Letarte, Rhéaume, Freeston, & Ladouceur, 1995; Lachance, Dugas, & Ladouceur, 1995).

According to the *Diagnostic and Statistical Manual of Mental Disorders*, fourth edition (*DSM-IV*; American Psychiatric Association, 1994), Generalized Anxiety Disorder (GAD) is characterized by excessive and uncontrollable worry. Although no study has yet to demonstrate that GAD patients have poor problem orientation but adequate knowledge of problem-solving skills, the results of recent studies involving nonclinical worriers point to this possibility. Indirect support for this position comes from Marx, Williams, and Claridge (1992), who showed that in contrast to depressed patients, anxious patients were able to find effective cognitive solutions, but the implementation of these solutions seems to fail. On the other hand, it may be that nonclinical high worriers differ from GAD patients (those seeking help for GAD) in ways that have yet to be understood. It is conceivable that the relationship between GAD symptom level (including worry level) and either problem orientation or problem-solving skills is altered by clinical status or by other variables associated with clinical status. Although research with nonclinical populations has proven useful in understanding other disorders, such as panic disorder (Norton, Cox, & Malan, 1992) and obsessive-compulsive disorder (Rhéaume, Freeston, Dugas, Letarte, & Ladouceur, 1995), some key differences have been found between nonclinical and clinical phenomena. For instance, Freeston, Ladouceur, Provencher, and Blais (1995) found that although neutralization strategies in response to obsessions were superficially similar, there were important differences in a subset of strategies used by patients suffering from obsessive-compulsive disorder.

Specific cognitive variables have also recently been linked to worry. Intoler-

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات