



Short communication

Comments on “Albayrak, M., & Allahverdi N. (2011). Development a new mutation operator to solve the Traveling Salesman Problem by aid of genetic algorithms. Expert Systems with Applications, 38(3), 1313–1320”: A proposal of good practice



E. Osaba*, E. Onieva, F. Diaz, R. Carballedo, A. Perallos

Deusto Institute of Technology (DeustoTech), University of Deusto, Av. Universidades 24, Bilbao 48007, Spain

ARTICLE INFO

Keywords:

Traveling Salesman Problem
Good practice
Genetic algorithms
Combinatorial optimization
Routing problems

ABSTRACT

This short note presents a discussion arisen after reading “Development a new mutation operator to solve the Traveling Salesman Problem by aid of genetic algorithms”, by Murat Albayrak and Novruz Allahverdi, (2011). Expert System with Applications (38) (pp. 1313–1320). The discussed paper presents a new greedy mutation operator to solve the well-known Traveling Salesman Problem. To prove the quality of their new operator, the authors compare different versions of a classical genetic algorithm, each of one with a different mutation operator. The experimentation shown by the authors can generate some controversy. In this short note, we explain the origin of this controversy and we bring a solution to prevent it in future publications.

© 2013 Elsevier Ltd. All rights reserved.

1. Discussion

Nowadays, combinatorial optimization is a widely studied field in artificial intelligence and operations research. Problems such as Traveling Salesman Problem (TSP) (Lawler, Lenstra, Kan, & Shmoys, 1985) or Capacitated Vehicle Routing Problem (CVRP) (Laporte, 1992) have a great interest thanks to their real world applicability and their simple formulation. Being NP-Hard, these problems have a great scientific interest, and many studies are focused on their resolution, using a wide variety of algorithms (Bae & Rathinam, 2012; Osaba & Díaz, 2012; Nagata & Soler, 2012; Mattos Ribeiro & Laporte, 2012; Nogueve, Prins, & Wolfler Calvo, 2010).

The discussed paper (Albayrak & Allahverdi, 2011) presents a new greedy mutation operator, called Greedy Sub Tour Mutation (GSTM), to solve the TSP. To prove the quality of the proposed operator, the authors carry out an experimentation phase in which some genetic algorithms (GA) are compared, each one with a different mutation operator. The benchmark used for the tests is the TSPLIB (Reinelt, 1991), and the mutation operators used are Exchange Mutation (EXC), Displacement Mutation (DIPS), Inversion Mutation (INV), Insertion Mutation (INS), Simple Inversion Mutation (SIM), Scramble Mutation (SCM) and Greedy Swap Mutation (GSM), all of them cited in Albayrak and Allahverdi (2011).

Although in the literature there are a lot of benchmarks and other resources to test the quality of new techniques, the comparison between heuristics and meta-heuristics is complex. Many factors must be taken into account, and this fact creates a lot of controversy and can lead to much confusion and bad practices.

In the particular case of the discussed paper, even though the authors make several good practices when they compare the different versions of the GA (such as the utilization of benchmark instances or the use of the same parameters for all techniques), they do some practices that may generate controversy. In this short note, we explain the reasons of this controversy and we introduce a proposal to prevent it in the future.

1.1. Compare operators of the same kind

The first controversy concerns the mutation operators used. In the context of genetic algorithms mutation operators can be classified into two families: the operators performing changes in the individuals of the population regardless of problem-specific information, and those who use problem-specific information to “optimize” during the mutation process. The first are known as neutral operators and the latter as greedy or heuristic operators.

The mutation process conducted by neutral and heuristic operators is different. For this reason, the comparison of techniques using different types of mutation operators does not seem very fair. This is so, because it is very possible that greedy operators achieve better results as they use problem specific information. Focusing

* Corresponding author. Tel.: +34 685787979.

E-mail addresses: e.osaba@deusto.es (E. Osaba), enrique.onieva@deusto.es (E. Onieva), fernando.diaz@deusto.es (F. Diaz), roberto.carballedo@deusto.es (R. Carballedo), perallos@deusto.es (A. Perallos).

on the discussed article, the authors compare their GSTM with 7 different mutation operators, 6 of them are neutral (EXC, DIPS, INV, INS, SIM and SCM) and only one greedy (GSM).

In relation to the said above, the comparison with the first 6 GA versions provides no relevant information, as it is assumed that the greedy operator gets better results. For this reason, to perform a reliable comparison, we encourage the authors to compare their GSTM with other greedy or heuristic mutation operators existing in the literature, such as the *non-sequential 4-change* (Freisleben & Merz, 1996). Thus, it would ensure that GSTM provides some improvement over the existing operators.

1.2. Demonstrating the optimization ability

Another important issue when developing new operators, is the proper showing of their efficiency and optimization capacity. To achieve this, the most appropriate way is to use techniques with neutral functions, so that the optimization capacity of the new operator does not been “tarnished”.

In the case of the discussed paper, to test the quality of GSTM, the authors use a genetic algorithm that uses greedy functions to initialize the population (nearest neighborhood) and perform crossovers (DPX). This means that individuals of the population are locally optimized in various parts of the algorithm, so that it is not possible to specify which is the optimization capacity of the new operator.

For this reason, we encourage authors of the paper to perform new tests using a GA which initializes the population randomly, and with a neutral crossover operator (such as Order Crossover, proposed by Davis (1985)). Alternatively, even though is not the main objective of the work, we suggest the authors to perform again the tests, including also an evolutionary algorithm, only based on mutations. We propose this, since as mentioned in the

study conducted by Osaba, Carballedo, Diaz, and Perallos (2013), for routing problems is more appropriate the use of this kind of evolutionary algorithms. Following any of these suggestions, it could be demonstrated with more accuracy the capacity optimization of the proposed GSTM.

References

- Albayrak, M., & Allahverdi, N. (2011). Development a new mutation operator to solve the traveling salesman problem by aid of genetic algorithms. *Expert Systems with Applications*, 38, 1313–1320.
- Bae, J., & Rathinam, S. (2012). Approximation algorithms for multiple terminal, hamiltonian path problems. *Optimization Letters*, 6, 69–85.
- Davis, L. (1985). Applying adaptive algorithms to epistatic domains. In *Proceedings of the international joint conference on artificial intelligence*, Vol. 1 (pp. 161–163).
- Freisleben, B., & Merz, P. (1996). A genetic local search algorithm for solving symmetric and asymmetric traveling salesman problems. In *Proceedings of IEEE international conference on evolutionary computation* (pp. 616–621). IEEE.
- Laporte, G. (1992). The vehicle routing problem: An overview of exact and approximate algorithms. *European Journal of Operational Research*, 59, 345–358.
- Lawler, E., Lenstra, J., Kan, A., & Shmoys, D. (1985). *The traveling salesman problem: A guided tour of combinatorial optimization* (Vol. 3). New York: Wiley.
- Mattos Ribeiro, G., & Laporte, G. (2012). An adaptive large neighborhood search heuristic for the cumulative capacitated vehicle routing problem. *Computers & Operations Research*, 39, 728–735.
- Nagata, Y., & Soler, D. (2012). A new genetic algorithm for the asymmetric traveling salesman problem. *Expert Systems with Applications*, 39, 8947–8953.
- Ngueveu, S., Prins, C., & Wolfler Calvo, R. (2010). An effective memetic algorithm for the cumulative capacitated vehicle routing problem. *Computers & Operations Research*, 37, 1877–1885.
- Osaba, E., Carballedo, R., Diaz, F., & Perallos, A. (2013). Analysis of the suitability of using blind crossover operators in genetic algorithms for solving routing problems. In *Proceedings of the 8th international symposium on applied computational intelligence and informatics* (pp. 17–23). IEEE.
- Osaba, E., & Díaz, F. (2012). Comparison of a memetic algorithm and a tabu search algorithm for the traveling salesman problem. In *Federated conference on computer science and information systems (FedCSIS)* (pp. 131–136). IEEE.
- Reinelt, G. (1991). TspLib: A traveling salesman problem library. *ORSA Journal on Computing*, 3, 376–384.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات