

Zermelo and the Early History of Game Theory¹

Ulrich Schwalbe²

Department of Economics, University of Hohenheim, 70593 Stuttgart, Germany

and

Paul Walker

*Department of Economics, University of Canterbury, Private Bag 4800,
Christchurch, New Zealand*

Received September 3, 1997

In the modern literature on game theory there are several versions of what is known as Zermelo's theorem. It is shown that most of these modern statements of Zermelo's theorem bear only a partial relationship to what Zermelo really did. We also give a short survey and discussion of the closely related but almost unknown work by König (1927, *Acta Sci. Math. Szeged*, 3, 121–130) and Kálmár (1928/29, *Acta Sci. Math. Szeged*, 4, 65–85). Their papers extend and considerably generalize Zermelo's approach. A translation of Zermelo's paper is included in the Appendix. *Journal of Economic Literature* Classification Numbers: B19; C70; C72. © 2001 Academic Press

Key Words: history of game theory; chess; Zermelo.

1. INTRODUCTION

It is generally agreed that the first formal theorem in the theory of games was proved by E. Zermelo³ in an article on Chess appearing in German in 1913 (Zermelo, 1913). In the modern literature on game theory there are

¹We thank Graeme Guthrie, Harold Kuhn, Philip Meguire, Martin Osborne, Hartmut Stein, and an anonymous referee for their suggestions and comments.

²To whom correspondence should be addressed. E-mail: schwalbe@uni-hohenheim.de

³Ernst Friedrich Ferdinand Zermelo (1871–1951), was a German mathematician. He studied mathematics, physics, and philosophy at Halle, Freiburg, and Berlin where he received his doctorate in 1894. He taught at Göttingen, Zürich, and Freiburg and is best known for his work on the axiom of choice and axiomatic set theory.

many variant statements of this theorem. Some writers claim that Zermelo showed that Chess is determinate, e.g., Aumann (1989b, p. 1), Eichberger (1993, p. 9), or Hart (1992, p. 30): “In Chess, either White can force a win, or Black can force a win, or both sides can force a draw.” Others state more general propositions under the heading of Zermelo’s theorem, e.g., Mas-Colell *et al.* (1995, p. 272): “Every finite game of perfect information Γ_E has a pure strategy Nash equilibrium that can be derived by backward induction. Moreover, if no player has the same payoffs at any two terminal nodes, then there is a unique Nash equilibrium that can be derived in this manner.” Dimand and Dimand (1996, p. 107) claim that Zermelo showed that White cannot lose: “[I]n a finite game, there exists a strategy whereby a first mover . . . cannot lose, but it is not clear whether there is a strategy whereby the first mover can win.” In addition many authors claim that Zermelo’s method of proof was by backward induction, e.g., Binmore (1992, p. 32): “Zermelo used this method way back in 1912 to analyze Chess. It requires starting from the end of the game and then working backwards to its beginning. For this reason, the technique is sometimes called ‘backwards induction’.”

Despite a growing interest in the history of game theory (e.g., Aumann, 1989a, Dimand and Dimand, 1996, 1997, Kuhn, 1997, Leonard, 1995, and Weintraub, 1992), confusion, at least in the English language literature, as to the contribution made by Zermelo and some of the other early game theorists seems to prevail. This problem may be due in part to a language barrier. Many of the early papers in game theory were not written in English and have not been translated. For example, to the best of our knowledge, there is no English version of Zermelo (1913). The same holds for the lesser known but related work by König (1927).⁴ A second paper related to that of Zermelo, by Kalmár (1928/29),⁵ has recently been translated (see Dimand and Dimand, 1997).⁶ The lack of an English translation may help to explain the apparent confusion in the modern literature as to what Zermelo’s theorem states and the method of proof employed. It appears that there

⁴Dénes König (1884–1944), was a Hungarian mathematician, the son of the mathematician Julius König. He studied mathematics in Budapest and Göttingen and received his doctorate in 1907. He spent his whole career in Budapest, first as an assistant and later as a professor. Most of König’s work was in the field of combinatorics and he wrote the first comprehensive treatise on graph theory, *Theorie der endlichen und unendlichen Graphen* (1936) (‘Theory of Finite and Infinite Graphs’).

⁵László Kalmár (1905–1976) was also a Hungarian mathematician. He studied mathematics and physics in Budapest. From 1930 until his death he worked at Szeged University, first as an assistant, later as a professor. His main research was in mathematical logic, computer science, and cybernetics.

⁶However, the translation of Kalmár’s paper contains so many mistakes that it is almost impossible to understand what Kalmár did.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات