



# Trust based recommender system using ant colony for trust computation

Punam Bedi, Ravish Sharma\*

Department of Computer Science, Faculty of Mathematical Sciences, Opposite Daulat Ram College, University of Delhi, Delhi 110007, India

## ARTICLE INFO

**Keywords:**  
Collaborative Filtering  
Trust  
Recommender system  
Ant colony  
Pheromone updating

## ABSTRACT

Collaborative Filtering (CF) technique has proven to be promising for implementing large scale recommender systems but its success depends mainly on locating similar neighbors. Due to data sparsity of the user–item rating matrix, the process of finding similar neighbors does not often succeed. In addition to this, it also suffers from the new user (cold start) problem as finding possible neighborhood and giving recommendations to user who has not rated any item or rated very few items is difficult. In this paper, our proposed Trust based Ant Recommender System (TARS) produces valuable recommendations by incorporating a notion of dynamic trust between users and selecting a small and best neighborhood based on biological metaphor of ant colonies. Along with the predicted ratings, displaying additional information for explanation of recommendations regarding the strength and level of connectedness in trust graph from where recommendations are generated, items and number of neighbors involved in predicting ratings can help active user make better decisions. Also, new users can highly benefit from pheromone updating strategy known from ant algorithms as positive feedback in the form of aggregated dynamic trust pheromone defines “popularity” of a user as recommender over a period of time. The performance of TARS is evaluated using two datasets of different sparsity levels viz. Jester dataset and MovieLens dataset (available online) and compared with traditional Collaborative Filtering based approach for generating recommendations.

© 2011 Elsevier Ltd. All rights reserved.

## 1. Introduction

The complexity of the recommendation problem is due to its vast space of possibilities. Recommender systems are important tools that overcome the information overload by sifting through the large set of data and recommending information relevant to the user. Recommendation techniques have a number of possible classifications including content based, collaborative, knowledge-based, demographic, and utility based (Burke, 2002; Resnick & Varian, 1997; Schafer, Konstan, & Reidl, 1999; Terveen & Hill, 2001). Collaborative Filtering, Content based approach and Hybrid methods are the prevalent three approaches to developing recommender systems. In Collaborative Filtering (CF) approach, opinions from users in the form of ratings on various items are collected. The recommendations produced are based only on the opinions of users similar to the active user. Active user refers to recommendation seeker for whom recommendations are generated. Content based approach suggests items that are similar to the ones the active user has shown a preference for in the past rather than on the preferences of other users. Mostly CF technique is combined with one or more recommendation

techniques i.e. content based, knowledge-based, demographic, or utility based and is called Hybrid approach.

CF takes its roots from something humans have been doing for centuries i.e. sharing opinions with others and brings together the opinions of large interconnected communities on the web (Schafer, Frankowski, Herlocker, & Sen, 2007). Collaborative Filtering based recommenders work best for a user who fits into a niche with neighbors of similar taste. This approach does not need a representation of the items in terms of features but is based only on the judgment of the user community. Because of its simplicity in both theory and implementation, CF can be applied to virtually any kind of item viz. papers, news, web sites, movies, songs, books, jokes, locations of holidays, stocks etc. The three-step conceptual model of the operation of the Collaborative Filtering process is as follows:

- (i) Construct rating matrix using user–item data.
- (ii) Locate people (neighbors) with similar profiles (similar preferences).
- (iii) Unify neighbors' ratings to form recommendations.

There are several limitations and challenges to CF based recommender systems due to traditional emphasis on user similarity. One of the main limitations is that it provides recommendations based solely on the opinion of the users whose preferences best matches the taste of active user. Approaches incorporating trust

\* Corresponding author. Address: B-408, Flex Apartments, Plot No. C-58/22, Sector 62, Noida 201301, U.P., India. Tel.: +91 09313907606; fax: +91 11 27662553.

E-mail addresses: [pbedi@cs.du.ac.in](mailto:pbedi@cs.du.ac.in) (P. Bedi), [sharma\\_ravish123@rediffmail.com](mailto:sharma_ravish123@rediffmail.com) (R. Sharma).

models into recommender systems are gaining momentum, synthesizing recommendations based upon opinions from trusted peers rather than most similar ones (Ziegler & Nilcolas, 2007). In online recommendation generation process, a number of users form a virtual social network where trust relationship is the key of users' human relations and trust relationship of mutual interdependence forms a so-called Web of trust (Wei, 2007). The three properties assigned to trust as discussed in literature (Ries, Kangasharju, & Muhlhauser, 2006) are as follows:

- (i) Trust is subjective and therefore asymmetric.
- (ii) Trust is context dependent.
- (iii) Trust is dynamic which means that it can increase with positive experience and decrease with negative experience or over time without any experience.

The dynamic property of trust can be viewed as trust intensity among the users. For example, the trust intensity between recommender and active user may increase or decrease depending on recommendations generated by the recommender. Trust intensity being time-based information, can be analyzed using pheromone updating strategy known from ant algorithms. Ant algorithms are based on emulation of behavior of real ants and build better solutions by communicating through artificial pheromone. In many ant species, ants tend to lay a substance called pheromone while walking from their nests to food source and vice versa. Ants do not communicate directly with each other, but they follow pheromone trails laid by other ants. Ants are attracted by pheromones coming from fellow type (members of same species) ants and repulsed by pheromone of non-fellow type ants. As the time passes, paths that are marked by stronger amount of pheromone are chosen with higher probability than those that have weaker amount of pheromone deposit (Blum, 2005; Bonabeau, Dorigo, & Theraulaz, 1999; Dorigo, Maniezzo, & Colorni, 1996; Dorigo & Stutzle, 2004). One of the basic ingredients of the ant algorithms is a randomized greedy construction heuristic in which each option is selected with a probability proportional to its perceived quality. As the algorithm progresses, the probabilities are altered to encourage the selection of elements that have featured good solutions. Ant algorithms repeatedly construct new solutions from scratch throughout the duration of the search. Moreover, this collaborative behavior between fellow type ants has an analogy with the collaborative world as people mostly collect opinions from their like-minded friends, neighbors etc. Work by Bedi, Sharma, and Kaur (2009) and Sharma, Singh, Makkar, Kaur, and Bedi (2007) combine artificial pheromone information with similarity measure for choosing best matching clusters providing active user with good set of alternative recommendations. In addition to the taste of active user, clusters that are marked by stronger amount of pheromone have the higher probability of being chosen than those that have weaker amount of pheromone deposit. Also, one of the fundamental challenges for recommender systems is to improve the quality of the predicted ratings. In such a scenario, pheromone updating strategy of ants guides the search to a better recommendation. The positive feedback in the form of pheromone deposition results in achieving an emergent, unified behavior for the recommender system as a whole, and produces a robust system capable of finding improved quality recommendations. Still, there is a need for producing valuable recommendations due to data sparsity of input-rating matrix and solving new user problem. These problems are intrinsic in the process of finding similar neighbors. In our proposed approach TARS (Trust based Ant Recommender System), sparseness in user similarity due to data sparsity of input matrix is reduced while creating directed trust graph for each user. Weight on the edge represents strength of connectedness i.e. trust intensity between the two recommendation partners (recommender and active user) at

time  $t$ . Due to its dynamic property, it is called Dynamic Trust Pheromone (DTP) and is updated using pheromone updating strategy known from ant algorithms. As the time passes, recommendations are produced by continuously updating dynamic trust between users and selecting a small and best neighborhood using ant colony metaphor. Also, new users can highly benefit from pheromone updating strategy known from ant algorithms.

The rest of the paper is organized as follows: Section 2 reviews the related research work and presents the motivation for our work. Our proposed system TARS with a detailed description of each step is presented in Section 3. Section 4 explains the experimental methodology employed and the two datasets used in our experiments. Section 5 concludes the paper.

## 2. Related work

In this section, review of literature related to recommender systems and motivation for our work is presented.

Many collaborative systems have been developed in the academia and the industry. Using stereotypes, the Grundy system was developed to build individual user models which were used to recommend relevant books to each user (Rich, 1979). Later on, the Tapestry system relied on each user to identify like-minded users manually (Goldberg, Nicholas, Oki, & Terry, 1992). GroupLens (Konstan et al., 1997; Resnick, Lakovou, Sushak, Bergstrom, & Riedl, 1994) in the domain of Usenet newsgroup articles, Bellcore's Video Recommender (Hill, Stead, Rosenstein, & Furnas, 1995) in the domain of movies and Ringo (Shardanand & Maes, 1995) in the domain of music and musical artists were the first systems to use Collaborative Filtering algorithms to automate predictions. Other examples of collaborative recommender systems include the book recommendation system from Amazon.com, the PHOAKS system that helps people find relevant information on the WWW (Terveen, Hill, Amento, McDonald, & Creter, 1997), and the Jester system that recommends jokes (Goldberg, Roeder, Gupta, & Perkins, 2001). Different item-based recommendation algorithms are analyzed by Sarwar, Karypis, Konstan, and Riedl (2001).

Researchers have also applied Swarm Intelligence techniques to recommender systems. Ujjiin and Bentley (2003) have described Particle Swarm Optimization (PSO) recommender system in which PSO algorithm has been employed to learn personal preferences of users and provide tailored suggestions. A system called CASIS has been developed combining case based reasoning approach with a metaphor from colonies of social insects, namely the honey bee dance. This combination has been used in the retrieval step of the recommendation cycle (Lorenzi, Santos, & Bazzan, 2005). Web-based system user interface hybrid recommendation method is presented in (Sobecki, 2007) where ant colony metaphor is used for selecting the most optimal path in the user interface graph.

In addition to traditional emphasis on user similarity, trustworthiness of users has been an important consideration by researchers. They have suggested that the advantage of combining users' trust network and user-item rating matrix solves CF sparseness problem to some extent. Two computational models of trust namely profile-level trust and item level trust have been developed and incorporated into standard Collaborative Filtering frameworks (O'Donovan and Smith, 2005). Work by Massa and Bhattacharjee (2004) and Massa and Avesani (2009, 2007, 2004) focus on using the explicit trust as input along with user-item rating matrix to predict ratings. They have analyzed explicit trust from the popular Internet web site epinions.com and shown that by exploiting the web of trust, it is possible to propagate trust and infer an additional weight for other users. New users can also benefit from trust propagation as long as the users provide at least one trusted friend.

Although the explicit trust based recommender system models have high rating prediction coverage and high rating prediction

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات