


Author's Accepted Manuscript

Mechanical and Degradation Property Improvement
in a Biocompatible Mg-Ca-Sr Alloy by
Thermomechanical Processing

Hunter B. Henderson, Vidhya Ramaswamy,
Alexander E. Wilson-Heid, Michael S. Kesler,
Josephine B. Allen, Michele V. Manuel



PII: S1751-6161(18)30069-9
DOI: <https://doi.org/10.1016/j.jmbbm.2018.02.001>
Reference: JMBBM2678

To appear in: *Journal of the Mechanical Behavior of Biomedical Materials*

Received date: 10 July 2017
Revised date: 7 November 2017
Accepted date: 1 February 2018

Cite this article as: Hunter B. Henderson, Vidhya Ramaswamy, Alexander E. Wilson-Heid, Michael S. Kesler, Josephine B. Allen and Michele V. Manuel, Mechanical and Degradation Property Improvement in a Biocompatible Mg-Ca-Sr Alloy by Thermomechanical Processing, *Journal of the Mechanical Behavior of Biomedical Materials*, <https://doi.org/10.1016/j.jmbbm.2018.02.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Mechanical and Degradation Property Improvement in a Biocompatible Mg-Ca-Sr Alloy by Thermomechanical Processing

Hunter B. Henderson^a, Vidhya Ramaswamy^b, Alexander E. Wilson-Heid^b, Michael S. Kesler^a, Josephine B. Allen^b, Michele V. Manuel^{b*}

^aOak Ridge National Laboratory, 1 Bethel Valley Rd. Oak Ridge, TN 37830, United States

^bUniversity of Florida, 100 Rhines Hall, PO Box 116400, Gainesville, FL 32611, United States

E-mail: mmanuel@mse.ufl.edu

Abstract:

Magnesium-based alloys have attracted interest as a potential material to comprise biomedical implants that are simultaneously high-strength and temporary, able to provide stabilization before degrading safely and being excreted by the human body. Many alloy systems have been evaluated, but this work reports on improved properties through hot extrusion of one promising alloy: Mg-1.0 wt.% Ca-0.5 wt.% Sr. This alloy has previously demonstrated intriguing toxicity and degradation properties in the as-cast and rolled conditions, and in the current study, extrusion results in a dramatic improvement in mechanical properties in tension and compression, as well as very low in vitro degradation rate. Microstructure (texture, second phase distribution, and grain size), bulk mechanical properties, flow behavior, degradation in simulated body fluid, and effect on osteoblast cytotoxicity are evaluated and correlated to extrusion temperature. Maximum yield strength of 300 MPa (above that of annealed 316 stainless steel) with 10% elongation is observed, making this alloy competitive with existing implant materials.

Keywords: magnesium, strontium, biodegradable, reabsorbable, extrusion, implant

1. Introduction

Magnesium (Mg) alloys have attracted considerable attention as a biomedical implant material due to their potential to be absorbed safely in the body over time and their high strength compared to current polymeric absorbable materials [1–4]. This combination of properties would facilitate load-bearing implants that resorb over time in a wide array of indications. Such a material would be especially beneficial for patients with implants that can

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات