

Accepted Manuscript

Optimal design of energy conversion units for residential buildings considering German market conditions

Thomas Schütz, Markus Schraven, Sebastian Remy, Julia Granacher, Dominik Kemetmüller, Marcus Fuchs, Dirk Müller



PII: S0360-5442(17)31400-7

DOI: [10.1016/j.energy.2017.08.024](https://doi.org/10.1016/j.energy.2017.08.024)

Reference: EGY 11393

To appear in: *Energy*

Received Date: 23 December 2016

Revised Date: 3 July 2017

Accepted Date: 6 August 2017

Please cite this article as: Schütz T, Schraven M, Remy S, Granacher J, Kemetmüller D, Fuchs M, Müller D, Optimal design of energy conversion units for residential buildings considering German market conditions, *Energy* (2017), doi: 10.1016/j.energy.2017.08.024.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Optimal design of energy conversion units for residential buildings considering German market conditions

Thomas Schütz*, Markus Schraven, Sebastian Remy, Julia Granacher,
Dominik Kemetmüller, Marcus Fuchs, Dirk Müller

*RWTH Aachen University, E.ON Energy Research Center, Institute for Energy Efficient
Buildings and Indoor Climate, Mathieustr. 10, Aachen, Germany*

Abstract

Many countries have passed governmental action plans to support the installation of renewable energy sources. However, most studies dealing with the optimization of building energy systems neglect a precise modeling of such subsidies, although these subsidies are specifically designed to strongly influence system setups. Therefore, this paper extends a model for the optimization of energy systems by a more accurate consideration of storage units and enhance both models by accounting for major German pieces of legislation aimed at supporting renewable energies. Additionally, we consider typical German market characteristics, in particular the availability of multiple gas and electricity tariffs.

We compare our model with the original formulation regarding a pure cost minimization and a forced reduction of CO₂ emissions for three new buildings located in Germany. The results imply that the considered subsidies strongly support the installation of PV modules and CHP units. Without these subsidies, batteries and solar thermal collectors become more important. Additionally, the findings illustrate that the new storage model is slightly more accurate, but only marginally affects the total annual costs and required computing times. The conducted sensitivity analysis has shown that the obtained results are relatively

*Corresponding author

Email address: tschuetz@eonerc.rwth-aachen.de (Thomas Schütz)

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات