Accepted Manuscript

A Parametrized Approach for Linear Regression of Interval Data

Leandro C. Souza, Renata M.C.R. Souza, Getúlio J.A. Amaral, Telmo M. Silva Filho

 PII:
 S0950-7051(17)30286-1

 DOI:
 10.1016/j.knosys.2017.06.012

 Reference:
 KNOSYS 3940

To appear in: Knowledge-Based Systems

Received date:19 January 2017Revised date:11 April 2017Accepted date:6 June 2017

Please cite this article as: Leandro C. Souza, Renata M.C.R. Souza, Getúlio J.A. Amaral, Telmo M. Silva Filho, A Parametrized Approach for Linear Regression of Interval Data, *Knowledge-Based Systems* (2017), doi: 10.1016/j.knosys.2017.06.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A Parametrized Approach for Linear Regression of Interval Data

Leandro C. Souza^a, Renata M. C. R. Souza^b, Getúlio J. A. Amaral^c, Telmo M. Silva Filho^b

 ^a Centro de Ciências Exatas e Naturais - CCEN/UFERSA, Av. Francisco Mota, 572 - Costa e Silva 59.625-900, Mossoró - RN, Brazil
 ^b Centro de Informática - Cin/UFPE, Av. Jornalista Anibal Fernandes, s/n - Cidade Universitária

^cDepartamento de Estatística - DE/UFPE, Av. Jornalista Anibal Fernandes, s/n - Cidade Universitária

50.740-560, Recife - PE, Brazil

Abstract

Interval symbolic data is a complex data type that can often be obtained by summarizing large datasets. All existing linear regression approaches for interval data use certain fixed reference points to model intervals, such as midpoints, ranges and lower and upper bounds. This is a limitation, because different datasets might be better represented by different reference points. In this paper, we propose a new method for extracting knowledge from interval data. Our parametrized approach automatically extracts the best reference points from the regressor variables. These reference points are then used to build two linear regressions: one for the lower bounds of the response variable and another for its upper bounds. Before the regressions are applied, we compute a criterion to verify the mathematical coherence of predicted values. Mathematical coherence means that the upper bounds are greater than the lower bounds. If the criterion shows that the coherence is not guaranteed, we suggest the use of a novel interval Box-Cox transformation of the response variable. Experimental evaluations with synthetic and real interval datasets illustrate the advantages and the usefulness of the proposed method to perform interval linear regression.

Keywords: Interval Linear Regression, Symbolic Data Analysis, Interval Parametrization

. Introduction

Linear regression is related to the construction of models that explore linear dependency between variables. Two types of variables are involved: the response (or dependent) variable and the regressor (or independent) variables. The main goal is to

Preprint submitted to Knowledge-Based Systems

Email addresses: leandro.souza@ufersa.edu.br (Leandro C. Souza), rmcrs@cin.ufpe.br (Renata M. C. R. Souza), gjaa@de.ufpe.br (Getúlio J. A. Amaral), tmsf@cin.ufpe.br (Telmo M. Silva Filho)

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران