### Author's Accepted Manuscript

Enhanced mental imagery and intact perceptual organization in schizotypal personality disorder

Rebeka Maróthi, Szabolcs Kéri



www.elsevier.com/locate/psvchres

PII: S0165-1781(17)31453-1

https://doi.org/10.1016/j.psychres.2017.11.015 DOI:

PSY10962 Reference:

To appear in: *Psychiatry Research* 

Received date: 4 August 2017 Revised date: 1 October 2017 Accepted date: 4 November 2017

Cite this article as: Rebeka Maróthi and Szabolcs Kéri, Enhanced mental imagery and intact perceptual organization in schizotypal personality disorder, *Psychiatry* Research, https://doi.org/10.1016/j.psychres.2017.11.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

#### **ACCEPTED MANUSCRIPT**

## Enhanced mental imagery and intact perceptual organization in schizotypal personality disorder

1st revised version

Rebeka Maróthi<sup>a</sup>

Szabolcs Kéri<sup>a,b,c</sup>

<sup>a</sup>National Institute of Psychiatry and Addictions – Nyírő Gyula Hospital (OPAI), Budapest, Hungary

<sup>b</sup>Department of Cognitive Science, Budapest University of Technology and Economics, Budapest, Hungary

<sup>c</sup>Department of Physiology, University of Szeged, Szeged, Hungary

Address correspondence to Dr. Szabolcs Kéri, Budapest University of Technology and Economics, Department of Cognitive Science, Egry J. str. 1, 1111, Budapest, Hungary.

E-mail: szkeri@cogsci.bme.hu; keri.szabolcs@kzc-opai.hu; Tel.: +36 - 1 4631273; Fax: +36 - 1-4631072

#### **Abstract**

According to a widely held view, psychotic disorders such as schizophrenia are characterized by a vague boundary between the perception of the external world and the inner imagery of persons, objects, and events. In this study, we addressed the perception-imagery debate in schizotypal personality disorder (SPD). Thirty individuals with SPD and 30 matched healthy subjects completed a lateral masking task. Participants were asked to detect a low-contrast Gabor patch flanked by two collinear Gabor masks. In the perceptual task, the masks were physically present, whereas in the imagery task, participants only imagined the masks. By applying a binocular rivalry paradigm, we also measured the imagery priming effect. Results revealed that, in the perceptual task, collinear masks similarly decreased contrast threshold in

# دريافت فورى ب

### ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
  - ✓ امكان دانلود نسخه ترجمه شده مقالات
    - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
  - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
    - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات