

# Author's Accepted Manuscript

Examining the role of sex differences in obsessive-compulsive symptom dimensions

Amanda M. Raines, Mary E. Oglesby, Nicholas P. Allan, Brittany M. Mathes, Carson A. Sutton, Norman B. Schmidt



PII: S0165-1781(17)30316-5  
DOI: <https://doi.org/10.1016/j.psychres.2017.10.038>  
Reference: PSY10938

To appear in: *Psychiatry Research*

Received date: 21 February 2017  
Revised date: 13 October 2017  
Accepted date: 22 October 2017

Cite this article as: Amanda M. Raines, Mary E. Oglesby, Nicholas P. Allan, Brittany M. Mathes, Carson A. Sutton and Norman B. Schmidt, Examining the role of sex differences in obsessive-compulsive symptom dimensions, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2017.10.038>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Examining the role of sex differences in obsessive-compulsive symptom dimensions

Amanda M. Raines, Mary E. Oglesby, Nicholas P. Allan, Brittany M. Mathes, Carson A. Sutton,

Norman B. Schmidt\*

Department of Psychology, Florida State University, 1107 W. Call St., Tallahassee, FL 32306-4301 USA

\*Corresponding author: Norman B. Schmidt, Department of Psychology, Florida State University, 1107 W. Call St., Tallahassee, FL 32306-4301 USA, Tel: (850) 645-1766, Fax: (850) 644-7739. schmidt@psy.fsu.edu

## Abstract

Obsessive-compulsive disorder (OCD) is a notably heterogeneous disorder. As such, there has been increased interest in subtyping OCD into homogeneous entities using biological characteristics such as sex. Whereas there is large consensus in the literature regarding sex differences in the phenotypic expression of OCD, there are numerous disadvantages to how OCD has been previously measured and assessed. The present investigation explored potential sex differences in OCD symptoms using the Dimensional Obsessive Compulsive Scale (DOCS), a redesigned measure that more reliably assesses the four most commonly replicated OCD symptom dimensions. A large sample of community participants with elevated levels of OCD symptoms ( $N = 297$ ) was recruited from an online crowdsourcing marketplace. Surprisingly, no differences in means were observed across sexes. However, results did reveal sex differences when examining relations between OCD dimensions. In particular, correlations between the OCD symptom dimensions were stronger in males compared to females. The common perception of OCD as a heterogeneous disorder may hold for females more so than for males. Future research should seek to replicate these findings using multimethod approaches including clinical, behavioral, and neuroimaging assessments.

*Keywords:* obsessive-compulsive disorder; OCD; sex; gender; DOCS

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات