

Author's Accepted Manuscript

Co-morbid Depressive Disorder is Associated with Better Neurocognitive Performance in First Episode Schizophrenia Spectrum

Sarah E. Herniman, Sue M. Cotton, Eoin Killackey, Robert Hester, Kelly A. Allott



PII: S0165-0327(17)31019-4
DOI: <https://doi.org/10.1016/j.jad.2017.12.088>
Reference: JAD9496

To appear in: *Journal of Affective Disorders*

Received date: 22 May 2017
Revised date: 11 November 2017
Accepted date: 31 December 2017

Cite this article as: Sarah E. Herniman, Sue M. Cotton, Eoin Killackey, Robert Hester and Kelly A. Allott, Co-morbid Depressive Disorder is Associated with Better Neurocognitive Performance in First Episode Schizophrenia Spectrum, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2017.12.088>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Co-morbid Depressive Disorder is Associated with Better Neurocognitive Performance in First Episode Schizophrenia Spectrum

Sarah E. Herniman¹²³
sarah.herniman@unimelb.edu.au

Sue M. Cotton¹²
sue.cotton@orygen.org.au

Eoin Killackey¹²
eoin.killackey@orygen.org.au

Robert Hester²
hesterr@unimelb.edu.au

Kelly A. Allott¹²
kelly.allott@orygen.org.au

¹
Orygen, the National Centre of Excellence in Youth Mental Health, Melbourne, Australia Postal address: Locked Bag 10, Parkville VIC 3052 Australia

²
Centre for Youth Mental Health, University of Melbourne, Melbourne, Australia Postal address: Locked Bag 10, Parkville VIC 3052 Australia

³
Melbourne School of Psychological Sciences, University of Melbourne, Melbourne, Australia Postal address: Level 2, Redmond Barry Building 115, University of Melbourne, Parkville VIC 3010

Corresponding author:

Sarah E. Herniman, Orygen, The National Centre of Excellence in Youth Mental Health, University of Melbourne, 35 Poplar Road, Parkville VIC 3052, Australia
Email: sarah.herniman@unimelb.edu.au
Mob: +61412778046

Abstract

Background: Both major depressive disorder (MDD) and first episode schizophrenia spectrum (FES) are associated with significant neurocognitive deficits. However, it remains unclear whether the neurocognitive deficits in individuals with FES are more severe if there

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات