Author's Accepted Manuscript

The Multidimensional Schizotypy Scale-Brief: Scale Development and Psychometric Properties

Georgina M. Gross, Thomas R. Kwapil, Michael L. Raulin, Paul J. Silvia, Neus Barrantes-Vidal



www.elsevier.com/locate/psychres

PII: S0165-1781(17)31718-3

DOI: https://doi.org/10.1016/j.psychres.2017.12.033

Reference: PSY11069

To appear in: Psychiatry Research

Received date: 18 September 2017 Revised date: 28 November 2017 Accepted date: 13 December 2017

Cite this article as: Georgina M. Gross, Thomas R. Kwapil, Michael L. Raulin, Paul J. Silvia and Neus Barrantes-Vidal, The Multidimensional Schizotypy Scale-Brief: Scale Development and Psychometric Properties, Psychiatry Research, https://doi.org/10.1016/j.psychres.2017.12.033

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Multidimensional Schizotypy Scale 1

The Multidimensional Schizotypy Scale-Brief: Scale Development and Psychometric Properties

Georgina M. Gross^{a,b} Thomas R. Kwapil^{a,c,*}

Michael L. Raulin^d Paul J. Silvia^a

Neus Barrantes-Vidal^{a,e,f,g}

^aUniversity of North Carolina at Greensboro

^bVA Connecticut Healthcare System

^cUniversity of Illinois at Urbana-Champaign

^dYoungstown State University

^eUniversitat Autònoma de Barcelona

^fSant Pere Claver – Fundació Sanitària (Spain)

^gCIBERSAM, Instituto de Salud Carlos III (Spain)

This article reports on the development and psychometric properties of a brief version of the Multidimensional Schizotypy Scale (MSS-B). The MSS-B contains 38 items that assess positive, negative, and disorganized schizotypy. The scale was derived from the full-length Multidimensional Schizotypy Scale, and the positive, negative, and disorganized subscales were designed to provide the same content coverage as the original subscales. Scale development involved a derivation sample (n=6,265) and a separate cross-validation sample (n=1000), both drawn from four universities and Amazon Mechanical Turk. The MSS-B was derived using classical test theory, item response theory, and differential item

^{*}Correspondence should be addressed to: Thomas R. Kwapil, Department of Psychology, University of Illinois at Urbana-Champaign, 603 E. Daniel Street, Champaign, IL 61820, e-mail: trkwapil@illinois.edu

Abstract

دريافت فورى ب متن كامل مقاله

ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
 - ✓ امكان دانلود نسخه ترجمه شده مقالات
 - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
 - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات