

Accepted Manuscript

Title: Influence of outdoor running fatigue and medial tibial stress syndrome on accelerometer-based loading and stability

Authors: Kurt H. Schütte, Stefan Seerden, Rachel Venter, Benedicte Vanwanseele



PII: S0966-6362(17)30977-3
DOI: <https://doi.org/10.1016/j.gaitpost.2017.10.021>
Reference: GAIPOS 5850

To appear in: *Gait & Posture*

Received date: 21-3-2017
Revised date: 5-10-2017
Accepted date: 17-10-2017

Please cite this article as: Schütte Kurt H, Seerden Stefan, Venter Rachel, Vanwanseele Benedicte. Influence of outdoor running fatigue and medial tibial stress syndrome on accelerometer-based loading and stability. *Gait and Posture* <https://doi.org/10.1016/j.gaitpost.2017.10.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

<AT>Influence of outdoor running fatigue and medial tibial stress syndrome on accelerometer-based loading and stability

<AU>Kurt H. Schütte^{a,b*}, Stefan Seerden^a, Rachel Venter^b, Benedicte Vanwanseele^a

<AFF>^aHuman Movement Biomechanics Research Group, Department of Kinesiology, KU Leuven, Leuven, Belgium.

<AFF>^bMovement Laboratory, Department of Sport Science, Stellenbosch University, Stellenbosch, Western Cape, South Africa

<PA>Email: kurt.schutte@kuleuven.be(Email).

<ABS-HEAD>Abstract ► 246 ► Body of text: 3496 ► **Acknowledgments** ► This project was funded through the internal BOF funding of the KU Leuven. The authors would like to thank the group of bachelor students involved with recruitment and data collection, as well as Karen Ven for her contributions.

<ABS-HEAD>Highlights ► Accelerometry assessed the influence of MTSS with in-situ running fatigue ► Running speed was added in subsequent model as a continuous covariate. ► Dynamic loading measures were not higher with running fatigue in MTSS. ► In MTSS only, running fatigue was associated with decreased ML sample entropy. ► Overall, symmetry decreased while shock attenuation increased with running fatigue.

<ABS-HEAD>ABSTRACT

<ABS-P>Medial tibial stress syndrome (MTSS) is a common overuse running injury with pathomechanics likely to be exaggerated by fatigue. Wearable accelerometry provides a novel alternative to assess biomechanical parameters continuously while running in more ecologically valid settings. The purpose of this study was to determine the influence of outdoor running fatigue and MTSS on both dynamic loading and dynamic stability derived from trunk and tibial accelerometry. Runners with (n=14) and without (n=16) history of MTSS performed an outdoor fatigue run of 3200m. Accelerometer-based measures averaged per lap included dynamic loading of the trunk and tibia (i.e. axial peak positive acceleration, signal power magnitude, and shock attenuation) as well as dynamic trunk stability (i.e. tri-axial root mean square ratio, step and stride regularity, and sample entropy). Regression coefficients from generalised estimating equations were used to evaluate group by fatigue interactions. No evidence could be found for dynamic loading being higher with fatigue in runners with MTSS history (all measures $p>0.05$). One significant group by running fatigue interaction effect was detected for dynamic stability. Specifically, in MTSS only, decreases mediolateral sample entropy i.e. loss of complexity was associated with running fatigue ($p<0.01$). The current results indicate that entire acceleration waveform signals reflecting mediolateral trunk control is related to MTSS history, a compensation that went undetected in the non-fatigued running state. We suggest that a practical outdoor running fatigue protocol that concurrently captures trunk accelerometry-based movement complexity warrants further prospective investigation as an *in-situ* screening tool for MTSS individuals.

<KWD>Keywords: Accelerometer; Running; Overuse Injury; Fatigue; Body-worn sensor; Complexity

<H1>1 Introduction

Medial tibial stress syndrome (MTSS) is a debilitating overuse injury of the tibia prevalent in runners and military recruits. MTSS is a primary running-related musculoskeletal injury with a prospective incidence rate up to 20% [1], and a multi-factorial aetiology involving numerous extrinsic and intrinsic factors. The former includes training shoes, surface, interval training and intrinsic factors while the latter includes higher body mass index, fatigability, female gender, running experience, previous MTSS, and faulty biomechanics [2,3].

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات