## Accepted Manuscript

Title: Comparative Efficacy and Acceptability of Electroconvulsive Therapy versus Repetitive Transcranial Magnetic Stimulation for Major Depression: a Systematic Review and Multiple-Treatments Meta-Analysis

Author: Jian-jun Chen Li-bo Zhao Yi-yun Liu Song-hua Fan

Peng Xie

PII: S0166-4328(16)30805-1

DOI: http://dx.doi.org/doi:10.1016/j.bbr.2016.11.028


Reference: BBR 10568

To appear in: Behavioural Brain Research

Received date: 10-10-2016 Revised date: 11-11-2016 Accepted date: 15-11-2016

Please cite this article as: Chen Jian-jun, Zhao Li-bo, Liu Yi-yun, Fan Songhua, Xie Peng.Comparative Efficacy and Acceptability of Electroconvulsive Therapy versus Repetitive Transcranial Magnetic Stimulation for Major Depression: a Systematic Review and Multiple-Treatments Meta-Analysis. *Behavioural Brain Research* http://dx.doi.org/10.1016/j.bbr.2016.11.028

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

Comparative Efficacy and Acceptability of Electroconvulsive Therapy versus Repetitive Transcranial Magnetic Stimulation for Major Depression: a Systematic Review and Multiple-Treatments Meta-Analysis

Jian-jun Chen<sup>1,2,3,4,5,6</sup>, Li-bo Zhao<sup>6,7</sup>, Yi-yun Liu<sup>1,2,6,8</sup>, Song-hua Fan<sup>1,2,6,8</sup>, Peng Xie<sup>1,2,6,7,8,#</sup>

<sup>1</sup>Institute of Neuroscience, Chongqing Medical University

<sup>2</sup>Chongqing Key Laboratory of Neurobiology, Chongqing Medical University

<sup>3</sup>Institute of Life Sciences, Chongqing Medical University

<sup>4</sup>Department of Obstetrics and Gynecology, the First Affiliated Hospital of Chongqing Medical University

<sup>5</sup>Canada - China -New Zealand Joint Laboratory of Maternal and Fetal Medicine, Chongqing Medical University

<sup>6</sup>Institute of Neuroscience and the Collaborative Innovation Center for Brain Science, Chongqing Medical University

<sup>7</sup>Department of Neurology, Yongchuan Hospital of Chongqing Medical University

<sup>8</sup>Department of Neurology, the First Affiliated Hospital of Chongqing Medical University,

#corresponding author:

Professor Peng Xie

Department of Neurology

The First Affiliated Hospital at Chongqing Medical University, 1 Yixueyuan Road, Yuzhong District, Chongqing

400016, China

Tel.: +86-23-68485490

Fax: +86-23-68485111

E-mail: xiepeng@cqmu.edu.cn

#### Highlights

- 1. ECT was the most efficacious, but least tolerated.
- 2. R-rTMS was the best tolerated treatment for MDD.
- 3. B-rTMS appears to have the most favorable balance between efficacy and acceptability.

# دريافت فورى ب

# ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
  - ✓ امكان دانلود نسخه ترجمه شده مقالات
    - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
  - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
    - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات