


Accepted Manuscript

Title: A spatial discounting test to assess impulsivity in dogs

Authors: Karen Brady, Lynn Hewison, Hannah Wright, Helen Zulch, Nina Cracknell, Daniel Mills



PII: S0168-1591(18)30008-X
DOI: <https://doi.org/10.1016/j.applanim.2018.01.003>
Reference: APPLAN 4582

To appear in: *APPLAN*

Received date: 26-7-2017
Revised date: 16-12-2017
Accepted date: 7-1-2018

Please cite this article as: Brady, Karen, Hewison, Lynn, Wright, Hannah, Zulch, Helen, Cracknell, Nina, Mills, Daniel, A spatial discounting test to assess impulsivity in dogs. *Applied Animal Behaviour Science* <https://doi.org/10.1016/j.applanim.2018.01.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A spatial discounting test to assess impulsivity in dogs

Karen Brady, Lynn Hewison,* Hannah Wright, Helen Zulch, Nina Cracknell, Daniel Mills

School of Life Sciences, University of Lincoln, Brayford Pool, Lincoln, LN6 7TS

*Corresponding Author: LHewison@lincoln.ac.uk

Highlights

- A Spatial Discounting Task (SDT) was developed to assess impulsivity in dogs.
- In adults Maximum Distance Travelled (MDT) in the SDT correlated with overall DIAS score (OQS).
- In young dogs, no significant relationship between the OQS and MDT was found.
- A simplified SDT for the field showed a significant relationship between MDT and OQS.
- The SDT is a useful tool for measuring impulsivity in adult dogs.

Abstract

In domestic dog's trait impulsivity can be measured psychometrically using the Dog Impulsivity Assessment Scale (DIAS) and experimentally using a temporal discounting paradigm which requires substantial training. A Spatial Discounting Task (SDT) was developed as an alternative experimental method to assess impulsivity, and evaluated performance in adult (2-10 years) and younger (2-9 months) dogs. The test was modified for field use with fewer controls (Simplified Spatial Discounting Task (SDTs)). Convergent validity with the SDT and DIAS Overall Questionnaire Scores (OQS) and stability over time (4-6 weeks) in the two age groups was determined. 96% of dogs recruited reached

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات