

Author's Accepted Manuscript

Onset polarity in Bipolar Disorder: A strong association between first depressive episode and suicide attempts

Laura Cremaschi, Bernardo Dell'Osso, Matteo Vismara, Cristina Dobreá, Massimiliano Buoli, Terence A. Ketter, A. Carlo Altamura



PII: S0165-0327(16)31438-0
DOI: <http://dx.doi.org/10.1016/j.jad.2016.11.043>
Reference: JAD8658

To appear in: *Journal of Affective Disorders*

Received date: 19 August 2016
Revised date: 22 October 2016
Accepted date: 28 November 2016

Cite this article as: Laura Cremaschi, Bernardo Dell'Osso, Matteo Vismara, Cristina Dobreá, Massimiliano Buoli, Terence A. Ketter and A. Carlo Altamura, Onset polarity in Bipolar Disorder: A strong association between first depressive episode and suicide attempts, *Journal of Affective Disorders* <http://dx.doi.org/10.1016/j.jad.2016.11.043>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Onset polarity in Bipolar Disorder: a strong association between first depressive episode and suicide attempts

Laura Cremaschi¹, Bernardo Dell'Osso^{1,2*}, Matteo Vismara¹, Cristina Dobreă¹,
Massimiliano Buoli¹, Terence A. Ketter², A. Carlo Altamura¹

¹Department of Psychiatry, University of Milan, Fondazione IRCCS Ca' Granda, Ospedale Maggiore Policlinico, Milan, Italy.

²Department of Psychiatry and Behavioral Sciences, Bipolar Disorders Clinic, Stanford University, CA, USA.

*Corresponding author. MD. Assistant Prof. of Psychiatry, Department of Psychiatry, University of Milan; Fondazione IRCCS Ca' Granda, Ospedale Maggiore Policlinico, Milano. Via Francesco Sforza 35, 20122 Milano, Italy. Tel.: 02 55035994; fax: 02 55033140
bernardo.delosso@unimi.it

Abstract

Background.

The role of onset polarity (OP) in patients with bipolar disorder (BD) has been increasingly investigated over the last few years, for its clinical, prognostic, and therapeutic implications. The present study sought to assess whether OP was associated with specific correlates, in particular with a differential suicidal risk in BD patients.

Methods.

A sample of 362 recovered BD patients was dichotomized by OP: depressed (DO) or elevated onset (EO: hypomanic/manic/mixed). Socio-demographic and clinical variables were compared between the subgroups. Additionally, binary logistic regression was performed to assess features associated with OP.

Results.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات