

Author's Accepted Manuscript

INFLUENCE OF DEPRESSIVE SYMPTOMS ON DISTRESS RELATED TO POSITIVE PSYCHOTIC-LIKE EXPERIENCES IN WOMEN

Antía Brañas, María Luisa Barrigón, Guillermo
Lahera, Manuel Canal-Rivero, Miguel Ruiz-
Veguilla



PII: S0165-1781(17)30774-6
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.08.094>
Reference: PSY10810

To appear in: *Psychiatry Research*

Received date: 7 May 2017
Revised date: 16 August 2017
Accepted date: 31 August 2017

Cite this article as: Antía Brañas, María Luisa Barrigón, Guillermo Lahera, Manuel Canal-Rivero and Miguel Ruiz-Veguilla, INFLUENCE OF DEPRESSIVE SYMPTOMS ON DISTRESS RELATED TO POSITIVE PSYCHOTIC-LIKE EXPERIENCES IN WOMEN, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.08.094>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

INFLUENCE OF DEPRESSIVE SYMPTOMS ON DISTRESS RELATED TO POSITIVE PSYCHOTIC-LIKE EXPERIENCES IN WOMEN

Antía Brañas^a, María Luisa Barrigón^b, Guillermo Lahera^c, Manuel Canal-Rivero^d, Miguel Ruiz-Veguilla^{e*}

^aDepartment of Psychiatry, Hospital Universitario Príncipe de Asturias, University of Alcalá, Alcalá, Madrid, Spain

^bDepartment of Psychiatry, IIS-Fundación Jiménez Díaz, Autónoma University, Madrid, Spain

^cFaculty of Medicine, University of Alcalá, IRyCIS, CIBERSAM, Madrid, Spain

^dHospital Universitario Virgen del Rocío, Seville, Spain. Department of Clinical and Health Psychology, Department of Clinical and Health Psychology, Universitat Autònoma de Barcelona, Barcelona, Spain

^eGrupo Psicosis y Neurodesarrollo, Instituto de Biomedicina de Sevilla (IBIS), Hospital Universitario Virgen del Rocío/CSIC/Universidad de Sevilla, Unidad de Hospitalización de Salud Mental, Sevilla, Spain

***Corresponding author:** Miguel Ruiz-Veguilla, UGC Salud Mental, Hospital Universitario Virgen del Rocío, Av. Manuel Siurot s/n, E-41013 Sevilla, Spain
Tel./ Fax (+34) 955008001. E-mail:

miguel.ruiz.veguilla.sspa@juntadeandalucia.es

ABSTRACT

The Community Assessment of Psychic Experiences (CAPE) is an effective instrument for detection of the presence of psychotic symptoms and associated distress in the general population. However, little research has studied distress associated with positive psychotic-like experiences (PLEs). Our aim is to study PLE-related distress using the CAPE. In this study we analysed factors associated with differences in PLE-related distress in a sample of 200 non-clinical participants recruited by snowball sampling. Presence of PLEs and related psychological distress was measured using the CAPE questionnaire. The influence of age, gender, educational level and drug use was studied. In univariate analysis we found that gender and CAPE positive, depressive and negative scores, were associated with CAPE positive distress. Using multiple linear regression, we found that only the effect of gender, and the interaction between frequency of depression and gender, remained statistically significant. In our sample interaction between gender and depressive symptoms is a determining factor in distress associated with positive PLEs. The results of this study may be useful for the implementation of prevention programs.

Keywords

Schizophrenia and Psychosis, Cannabis, Gender, Snowball sampling

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات