
Author's Accepted Manuscript

Affective reactivity to daily life stress: relationship to positive psychotic and depressive symptoms in a general population sample

Sanne H. Booij, Evelien Snippe, Bertus F. Jeronimus, Marieke Wichers, Johanna T.W. Wigman



 PII:
 S0165-0327(17)30550-5

 DOI:
 http://dx.doi.org/10.1016/j.jad.2017.08.051

 Reference:
 JAD9170

To appear in: Journal of Affective Disorders

Received date: 20 March 2017 Revised date: 17 May 2017 Accepted date: 14 August 2017

Cite this article as: Sanne H. Booij, Evelien Snippe, Bertus F. Jeronimus, Marieke Wichers and Johanna T.W. Wigman, Affective reactivity to daily life stress: relationship to positive psychotic and depressive symptoms in a general population sample, *Journal of Affective Disorders*, http://dx.doi.org/10.1016/j.jad.2017.08.051

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Affective reactivity to daily life stress: relationship to positive psychotic and depressive symptoms in a general population sample

Authors: Sanne H. Booij^{1,3*}, Evelien Snippe¹, Bertus F. Jeronimus^{1,2}, Marieke Wichers¹, Johanna T.W. Wigman^{1,3}

¹University of Groningen, University Medical Center Groningen, Department of Psychiatry, Interdisciplinary Center Psychopathology and Emotion regulation (ICPE), The Netherlands.

²University of Groningen, Department of Developmental Psychology, The Netherlands.

³Mental Health Service (GGZ) Friesland, Leeuwarden, The Netherlands

^{*}Corresponding author. Interdisciplinary Center Psychopathology and Emotion regulation (ICPE), Department of Psychiatry, University Medical Center Groningen, CC72, P.O. Box 30001, 9700 RB, The Netherlands. Telephone: +31(0)50-3615733, Fax: +31(0)50-3619722, E-mail: s.h.booij@umcg.nl. 201

Abstract

Introduction

Increased affective reactivity to daily life stress has been found in individuals with psychosis and depression, and in those at risk for these conditions. Because depressive and psychotic symptoms often co-occur, increased affective reactivity in these disorders may be explained by the presence of depressive symptoms, psychotic symptoms, or both. Therefore, we examined whether affective reactivity to daily stress is related to positive psychotic symptoms, independently of depressive symptoms, and vice versa.

Methods

We used data from an intensive sampling study in the general population (n=411), with three measurements a day (t=90). The following subjective stressors were assessed: appraisal of

دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
 امکان دانلود نسخه ترجمه شده مقالات
 پذیرش سفارش ترجمه تخصصی
 امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 امکان دانلود رایگان ۲ صفحه اول هر مقاله
 امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 دانلود فوری مقاله پس از پرداخت آنلاین
 پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران