
### Author's Accepted Manuscript

Deficit in feature-based attention following a left thalamic lesion

Sofia Finsterwalder, Nele Demeyere, Celine R. Gillebert



www.elsevier.com/locate/neuropsychologia

PII: S0028-3932(17)30197-5

DOI: http://dx.doi.org/10.1016/j.neuropsychologia.2017.05.023

Reference: NSY6374

To appear in: Neuropsychologia

Received date: 21 August 2016 Revised date: 30 April 2017 Accepted date: 22 May 2017

Cite this article as: Sofia Finsterwalder, Nele Demeyere and Celine R. Gillebert Deficit in feature-based attention following a left thalamic Neuropsychologia, http://dx.doi.org/10.1016/j.neuropsychologia.2017.05.023

This is a PDF file of an unedited manuscript that has been accepted fo publication. As a service to our customers we are providing this early version o the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

### **ACCEPTED MANUSCRIPT**

### Deficit in feature-based attention following a left thalamic lesion

Sofia Finsterwalder<sup>1,2</sup>, Nele Demeyere<sup>1</sup> & Celine R. Gillebert<sup>1,2</sup>

<sup>1</sup> Oxford Cognitive Neuropsychology Centre, Department of Experimental Psychology,

University of Oxford, Oxford, United Kingdom

<sup>2</sup> Laboratory of Experimental Psychology, Department of Brain & Cognition, University of

Leuven, Leuven, Belgium

# Correspondence should be addressed to

Celine R. Gillebert

Department of Brain & Cognition

University of Leuven

Tiensestraat 102 - box 3711

B-3000 Leuven

Belgium

e-mail: celine.gillebert@kuleuven.be

#### **Abstract**

Selective attention enables us to prioritise the processing of relevant over irrelevant information. The model of priority maps with stored attention weights provides a conceptual framework that accounts for the visual prioritisation mechanism of selective attention. According to this model, high attention weights can be assigned to spatial locations, features, or objects. Converging evidence from neuroimaging and neuropsychological

## دريافت فورى ب متن كامل مقاله

### ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
  - ✓ امكان دانلود نسخه ترجمه شده مقالات
    - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
  - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
    - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات