

Accepted Manuscript

Error detection and accuracy estimation in automatic speech recognition using deep bidirectional recurrent neural networks

Atsunori Ogawa, Takaaki Hori

PII: S0167-6393(16)30104-2
DOI: [10.1016/j.specom.2017.02.009](https://doi.org/10.1016/j.specom.2017.02.009)
Reference: SPECOM 2447



To appear in: *Speech Communication*

Received date: 11 May 2016
Revised date: 17 January 2017
Accepted date: 22 February 2017

Please cite this article as: Atsunori Ogawa, Takaaki Hori, Error detection and accuracy estimation in automatic speech recognition using deep bidirectional recurrent neural networks, *Speech Communication* (2017), doi: [10.1016/j.specom.2017.02.009](https://doi.org/10.1016/j.specom.2017.02.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Deep bidirectional RNNs (DBRNNs) are applied to ASR error detection and accuracy estimation.
- DBRNNs take longer bidirectional context of input feature vectors into account.
- DBRNNs model highly nonlinear relationships between input feature vectors and output labels.
- DBRNNs greatly outperform CRFs and other structures of neural networks.

ACCEPTED MANUSCRIPT

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات