

Author's Accepted Manuscript

Differential associations between patterns of child maltreatment and comorbidity in adult depressed patients

Jeannette Brodbeck, Eva Fassbinder, Ulrich Schweiger, Antje Fehr, Christina Späth, Jan Philipp Klein



PII: S0165-0327(17)31218-1
DOI: <https://doi.org/10.1016/j.jad.2017.12.077>
Reference: JAD9485

To appear in: *Journal of Affective Disorders*

Received date: 27 June 2017
Revised date: 9 November 2017
Accepted date: 31 December 2017

Cite this article as: Jeannette Brodbeck, Eva Fassbinder, Ulrich Schweiger, Antje Fehr, Christina Späth and Jan Philipp Klein, Differential associations between patterns of child maltreatment and comorbidity in adult depressed patients, *Journal of Affective Disorders*, <https://doi.org/10.1016/j.jad.2017.12.077>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Maltreatment and comorbidities in depression

Differential associations between patterns of child maltreatment and comorbidity in adult depressed patients

Jeannette Brodbeck^{a,b}, Eva Fassbinder^{a,b}, Ulrich Schweiger^{a,b}, Antje Fehr^{a,b}, Christina Späth^{a,b}, Jan Philipp Klein^{a,b*}

^aDepartment of Psychiatry and Psychotherapy, Lübeck University, Lübeck, Germany (JPK, AF, CS, EF, US)

^bDepartment of Clinical Psychology and Psychotherapy, University of Bern, Bern, Switzerland (JB)

Corresponding author. Dr. Jan Philipp Klein. Department of Psychiatry and Psychotherapy, Lübeck University, Ratzeburger Allee 160, 23538 Lübeck, Germany. Phone: + 49 451 500 2444; Fax: + 49 451 500 4957. philipp.klein@uksh.de

Abstract

Background

Types of maltreatment often co-occur and it is unclear how maltreatment patterns impact on comorbidity in depressed patients.

Methods

We analysed associations of maltreatment patterns with a broad range of comorbidities assessed with diagnostic interviews in 311 treatment-seeking depressed outpatients.

Results

Latent class analyses identified a “no maltreatment class” (39%), a “mild to moderate abuse and neglect class” (34%), a “severe abuse and neglect class” (14%) and a “severe neglect class” (13%). We found a dose-response association for the first three classes with comorbid disorders, a general psychopathology factor and an interpersonal insecurity factor. Patients in the “severe abuse and neglect” class had increased odds ratios (OR) of suffering from an anxiety

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات