
Author's Accepted Manuscript

Sensory profiles as a possible mediator between hypomania and hopelessness in 488 major affective outpatients

Batya Engel-Yeger, Xenia Gonda, Giovanna Canepa, Maurizio Pompili, Zoltan Rihmer, Mario Amore, Gianluca Serafini



www.elsevier.com/locate/iad

PII: S0165-0327(17)30391-9

http://dx.doi.org/10.1016/j.jad.2017.08.036 DOI:

Reference: JAD9155

To appear in: Journal of Affective Disorders

Received date: 21 February 2017 Revised date: 16 June 2017 Accepted date: 14 August 2017

Cite this article as: Batya Engel-Yeger, Xenia Gonda, Giovanna Canepa, Maurizio Pompili, Zoltan Rihmer, Mario Amore and Gianluca Serafini, Sensory profiles as a possible mediator between hypomania and hopelessness in 488 outpatients, Journal major affective **Affective** Disorders. of http://dx.doi.org/10.1016/j.jad.2017.08.036

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Sensory profiles as a possible mediator between hypomania and

hopelessness in 488 major affective outpatients

Batya Engel-Yeger¹, Xenia Gonda^{2,3,4}, Giovanna Canepa⁵, Maurizio Pompili⁶, Zoltan Rihmer², Mario Amore⁵, Gianluca Serafini⁵*

¹Department of Occupational Therapy, Faculty of Social Welfare and Health Sciences, University of Haifa;

²Department of Psychiatry and Psychotherapy, Kutvolgyi Clinical Center, Semmelweis University, Budapest, Hungary;

³MTA-SE Neuropsychopharmacology Research Group, Hungarian Academy of Sciences and Semmelweis University, Budapest, Hungary;

⁴Department of Pharmacodynamics, Semmelweis University;

⁵Department of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health, Section of Psychiatry, University of Genoa, Genoa, Italy;

⁶Department of Neuroscience, Suicide Prevention Center, Sant'Andrea Hospital, University of Rome, Rome, Italy.

*Corresponding author: Department of Neuroscience, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health (DINOGMI), Section of Psychiatry, University of Genoa, IRCCS San Martino, Largo Rosanna Benzi 10, 16132, Genoa, Italy. Tel. 00390103537668 (office), 00393475372316 (mobile), Fax. 00390103537669. gianluca.serafini@unige.it

Abstract

Introduction

Extreme sensory processing patterns may contribute to the pathophysiology of major affective disorders. We aimed to examine whether significant correlations exist between sensory profiles, hypomania, self-reported depression, and hopelessness and whether sensory profiles may be a significant mediator between hypomania and depression/hopelessness.

Methods

دريافت فورى ب متن كامل مقاله

ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
 - ✓ امكان دانلود نسخه ترجمه شده مقالات
 - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
 - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات