

Author's Accepted Manuscript

General Health Questionnaire-12 validity in Colombia and factorial equivalence between clinical and nonclinical participants

Francisco J. Ruiz, Diana M. García-Beltrán, Juan C. Suárez-Falcón



PII: S0165-1781(16)32188-6
DOI: <http://dx.doi.org/10.1016/j.psychres.2017.06.020>
Reference: PSY10567

To appear in: *Psychiatry Research*

Received date: 24 December 2016
Revised date: 23 May 2017
Accepted date: 10 June 2017

Cite this article as: Francisco J. Ruiz, Diana M. García-Beltrán and Juan C. Suárez-Falcón, General Health Questionnaire-12 validity in Colombia and factorial equivalence between clinical and nonclinical participants, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2017.06.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

General Health Questionnaire-12 validity in Colombia and factorial equivalence between
clinical and nonclinical participants

Francisco J. Ruiz^{a*}, Diana M. García-Beltrán^a, Juan C. Suárez-Falcón^b

^aFacultad de Psicología, Fundación Universitaria Konrad Lorenz, Bogotá, Colombia

^bFacultad de Psicología, Universidad Nacional de Educación a Distancia, Madrid, Spain

*Corresponding autor. Fundación Universitaria Konrad Lorenz, Carrera 9 bis, N° 62-43,
Bogotá (Cundinamarca, Colombia), Tel.: (+57 1) 347 23 11 ext. 185.
(franciscoj.ruizj@konradlorenz.edu.co)

Abstract

The General Health Questionnaire – 12 (GHQ-12) is a widely used screening self-report for emotional disorders among adults. However, there is little evidence concerning the validity of the GHQ-12 in Colombia and its factorial invariance between nonclinical and clinical samples. Accordingly, the current study aims to explore the GHQ-12 validity in Colombian nonclinical and clinical samples. The GHQ-12 was administered to a total of 1641 participants, including a sample of undergraduates, one of general population, and a clinical

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات