


# Author's Accepted Manuscript

Body image and paranoia

Felicity Waite, Daniel Freeman



PII: S0165-1781(17)30626-1

DOI: <https://doi.org/10.1016/j.psychres.2017.10.007>

Reference: PSY10906

To appear in: *Psychiatry Research*

Received date: 13 April 2017

Revised date: 27 September 2017

Accepted date: 2 October 2017

Cite this article as: Felicity Waite and Daniel Freeman, Body image and paranoia, *Psychiatry Research*, <https://doi.org/10.1016/j.psychres.2017.10.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Body image and paranoia**

Authors: Waite, Felicity\* & Freeman, Daniel

Title: Body image and paranoia

Affiliations: Department of Psychiatry, University of Oxford, Warneford Hospital, UK

\* Corresponding author: Felicity Waite, Department of Psychiatry, University of Oxford, Warneford Hospital, OX3 7JX, UK, felicity.waite@psych.ox.ac.uk, 01865 618192

**Abstract**

Paranoia builds upon feelings of vulnerability. Our clinical experience indicates that negative body image, including concerns regarding weight, may be one source feeling vulnerable and hence raise the risk of paranoia. There has been no empirical test of an association between body image and paranoia. Our aim was to provide the first test of this issue by examining in epidemiologically representative cohorts the cross-sectional associations between proxy measures of body image and paranoia. This was an initial exploration of a potentially important but overlooked issue. Data were used from 5515 participants in the US National Comorbidity Survey-Replication (NCS-R). To validate the findings, the analyses were replicated with 10,113 participants in the US National Comorbidity Survey-Adolescents (NCS-A). Concerns about weight were associated with paranoia in the NCS-R (OR = 1.48,  $p=0.006$ , CI = 1.123, 1.955) and NCS-A (OR= 1.67,  $p<0.001$ , CI = 1.490, 1.873). The associations remained significant after controlling for gender and body mass index. The results show that negative body image and paranoia are associated in the general population, consistent with the idea that paranoia may build upon feelings of vulnerability arising from body image concerns. Studies are needed to examine whether there is a causal relationship.

**Keywords:** psychosis; schizophrenia; obesity; appearance

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات