

Accepted Manuscript

Decomposition of Dislocation Densities at Grain Boundary in a Finite-Deformation Gradient Crystal-Plasticity Framework

Habib Pouriaeyevali, Bai-Xiang Xu



PII: S0749-6419(16)30347-3

DOI: [10.1016/j.ijplas.2017.04.010](https://doi.org/10.1016/j.ijplas.2017.04.010)

Reference: INTPLA 2188

To appear in: *International Journal of Plasticity*

Received Date: 21 December 2016

Revised Date: 20 March 2017

Accepted Date: 15 April 2017

Please cite this article as: Pouriaeyevali, H., Xu, B.-X., Decomposition of Dislocation Densities at Grain Boundary in a Finite-Deformation Gradient Crystal-Plasticity Framework, *International Journal of Plasticity* (2017), doi: 10.1016/j.ijplas.2017.04.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Decomposition of Dislocation Densities at Grain Boundary in a Finite-Deformation Gradient Crystal-Plasticity Framework

Habib Pouriaeyevali^{*}, Bai-Xiang Xu

Mechanics of Functional Materials Division, Institute of Material Science, Technische Universität Darmstadt, Jovanka-Bontschits-Strasse 2, D-64287 Germany

Keywords: Grain Boundary; Gradient Crystal Plasticity; Finite Deformation; Dislocation Transmission

Abstract

The microscopically powerless boundaries are studied based on a finite-deformation gradient crystal-plasticity model which comprises energetic and dissipative governing components. The innovative feature in the present study includes a decomposition of dislocation densities at the boundary which provides a distinct observation of dislocation transmission through the boundary. Here, the relative orientation of the grain boundary to the grains is taken to account. Moreover, a misconception in the literature which renders micro-free GB as a GNDs-free interface is addressed. In addition, a boundary layer is employed and enforces the dislocations to flux only in the tangential direction at the micro-hard boundary as observed in experiments. Numerical results show the effect of powerless boundary conditions, transmission of plastic flows and accumulation of GNDs in multicrystals.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات