

Author's Accepted Manuscript

Psychometric Properties of the Written Version of the Autobiographical Memory Test in a Japanese Community Sample

Keisuke Takano, Masaki Mori, Yuki Nishiguchi, Jun Moriya, Filip Raes



PII: S0165-1781(16)31462-7
DOI: <http://dx.doi.org/10.1016/j.psychres.2016.12.019>
Reference: PSY10155

To appear in: *Psychiatry Research*

Received date: 29 August 2016
Revised date: 22 November 2016
Accepted date: 10 December 2016

Cite this article as: Keisuke Takano, Masaki Mori, Yuki Nishiguchi, Jun Moriya and Filip Raes, Psychometric Properties of the Written Version of the Autobiographical Memory Test in a Japanese Community Sample, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2016.12.019>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

**Psychometric Properties of the Written Version of the Autobiographical Memory Test in
a Japanese Community Sample**

Keisuke Takano^{a*}, Masaki Mori^b, Yuki Nishiguchi^b, Jun Moriya^c, Filip Raes^a

^aCenter for the Psychology of Learning and Experimental Psychopathology, University of Leuven, Tiensestraat 102, 3000 Leuven, Belgium

^bGraduate School of Arts and Sciences, The University of Tokyo, 3-8-1 Komaba, Meguro-ku, Tokyo 153-8902, Japan

^cDepartment of Sociology, Kansai University, 3-3-35, Yamate-cho, Suita-shi, Osaka, 564-8680, Japan

*Correspondence to: Center for Learning and Experimental Psychopathology, University of Leuven, Tiensestraat 102, Leuven 3000, Belgium. Tel.: +32163 26001; Fax: +32163 26099. keisuke.takano@kuleuven.be

Abstract

The autobiographical memory test (AMT) is a widely used measure to assess the specificity of autobiographical memories. Reduced Autobiographical Memory Specificity (AMS) or increased overgeneralization of memories is considered as a cognitive hallmark of depression. Therefore, reduced AMS is the subject of much psychopathological research, and is a promising target for psychological interventions. Although considerable evidence has been gathered on the clinical relevance of reduced AMS over the past decades, studies on AMS have been mainly conducted in Western populations, and few have been conducted in Asian populations. This could be because of the unknown psychometric properties of the AMT given cultural and language differences. Therefore, the present study examined the psychometric properties of the AMT in a Japanese community sample ($N = 1,240$). Our data replicated that (a) the AMT has a uni-factorial structure; (b) AMS has a small but statistically

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات