

Author's Accepted Manuscript

Differences in psychological and somatic symptom cluster score profiles between subjects with Idiopathic Environmental Intolerance, Major Depression and Schizophrenia

Elisabeth M. Weiss, Evelin Singewald, Claudia Baldus, Ellen Hofer, Josef Marksteiner, Sarah Nasrouei, Beatrix Ruepp, Hans-Peter Kapfhammer, Werner Fitz, Christoph Mai, Anke Bauer, Ilona Papousek, Peter Holzer



www.elsevier.com/locate/psychres

PII: S0165-1781(16)31033-2
DOI: <http://dx.doi.org/10.1016/j.psychres.2016.12.057>
Reference: PSY10206

To appear in: *Psychiatry Research*

Received date: 15 June 2016
Revised date: 29 November 2016
Accepted date: 28 December 2016

Cite this article as: Elisabeth M. Weiss, Evelin Singewald, Claudia Baldus, Ellen Hofer, Josef Marksteiner, Sarah Nasrouei, Beatrix Ruepp, Hans-Peter Kapfhammer, Werner Fitz, Christoph Mai, Anke Bauer, Ilona Papousek and Peter Holzer, Differences in psychological and somatic symptom cluster score profiles between subjects with Idiopathic Environmental Intolerance, Major Depression and Schizophrenia, *Psychiatry Research*, <http://dx.doi.org/10.1016/j.psychres.2016.12.057>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Differences in psychological and somatic symptom cluster score profiles between subjects with Idiopathic Environmental Intolerance, Major Depression and Schizophrenia

Elisabeth M. Weiss^{a*}, Evelin Singewald^{b,e}, Claudia Baldus^a, Ellen Hofer^a, Josef Marksteiner^b, Sarah Nasrouei^b, Beatrix Ruepp^b, Hans-Peter Kapfhammer^c, Werner Fitz^c, Christoph Mai^d, Anke Bauer^d, Ilona Papousek^a, Peter Holzer^{e,f}

^aDepartment of Psychology, Biological Psychology Unit, University of Graz, Austria

^bDepartment of Psychiatry and Psychotherapy A, LKH Hall, Austria

^cDepartment of Psychiatry and Psychotherapeutic Medicine, Medical University of Graz, Austria

^d Umweltmedizin, Fachkliniken Nordfriesland, Bredstedt, Germany

^eResearch Unit of Translational Neurogastroenterology, Institute of Experimental and Clinical Pharmacology, Medical University of Graz, Universitätsplatz 4, A-8010 Graz, Austria.

^fBioTechMed-Graz, Krenngasse 37/1, 8010 Graz.

*Corresponding author: Elisabeth Weiss, MD, PhD, University of Graz; Department of Psychology; Univ.-Platz 2; A-8010 Graz, Austria. Phone: +43 316-380-5114. E-mail: e.weiss@uni-graz.at

Abstract:

Idiopathic Environmental Intolerance (IEI) has been associated with psychogenic factors and an increased number of comorbid psychiatric disorders such as depression and anxiety disorder. The purpose of the current study was to examine a possible overlap of psychological and somatic symptoms between subjects with IEI and patients with major depression and schizophrenia as well as to specify characteristic differences. The different symptom clusters included symptoms of chemical intolerance, neurotoxicity and psychological distress as well

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات