

Evoked potentials recorded during routine EEG predict outcome after perinatal asphyxia

Päivi Nevalainen, Viviana Marchi, Marjo Metsäranta, Tuula Lönnqvist, Sanna Toiviainen-Salo, Sampsa Vanhatalo, Leena Lauronen

PII: S1388-2457(17)30181-5
DOI: http://dx.doi.org/10.1016/j.clinph.2017.04.025
Reference: CLINPH 2008140

To appear in: *Clinical Neurophysiology*

Received Date: 2 December 2016
Revised Date: 22 March 2017
Accepted Date: 26 April 2017

Please cite this article as: Nevalainen, P., Marchi, V., Metsäranta, M., Lönnqvist, T., Toiviainen-Salo, S., Vanhatalo, S., Lauronen, L., Evoked potentials recorded during routine EEG predict outcome after perinatal asphyxia, *Clinical Neurophysiology* (2017), doi: http://dx.doi.org/10.1016/j.clinph.2017.04.025

Evoked potentials recorded during routine EEG predict outcome after perinatal asphyxia

Päivi Nevalainen (MD, PhD)[1*], Viviana Marchi (MD)[2,3*], Marjo Metsäranta (MD, PhD)[4], Tuula Lönnqvist (MD, PhD)[5], Sanna Toiviainen-Salo (MD, PhD) [6], Sampsa Vanhatalo (Prof)[1], Leena Lauronen (MD, PhD)[1]

1 Department of Clinical Neurophysiology, Children´s Hospital, HUS Medical Imaging Center, University of Helsinki and Helsinki University Hospital (HUH), Helsinki, Finland
2 Department of Developmental Neuroscience, Stella Maris Scientific Institute, IRCCS Stella Maris Foundation Pisa, Italy;
3 Department of Clinical and Experimental Medicine, University of Pisa, Pisa, Italy.
4 Department of Neonatology, Children´s Hospital, University of Helsinki and HUH, Helsinki, Finland
5 Department of Child Neurology, Children´s Hospital, University of Helsinki and HUH, Helsinki, Finland
6 HUS Medical Imaging Center, Radiology, University of Helsinki and HUH, Helsinki, Finland

*These authors contribute equally to the manuscript

Address correspondence to:

Päivi Nevalainen

Department of Clinical Neurophysiology, Childrens' Castle, Helsinki University Hospital, P.O. Box 280, 00029 HUS, Finland

Tel.: +358-44-5615890

E-mail: paivi.nevalainen@hus.fi