

Author's Accepted Manuscript

Mental health service use among those with depression: an exploration using Andersen's Behavioral Model of Health Service Use

Annette Graham, Penelope Hasking, Joanne Brooker, David Clarke, Graham Meadows



PII: S0165-0327(16)30707-8
DOI: <http://dx.doi.org/10.1016/j.jad.2016.08.074>
Reference: JAD8555

To appear in: *Journal of Affective Disorders*

Received date: 28 April 2016
Revised date: 25 July 2016
Accepted date: 27 August 2016

Cite this article as: Annette Graham, Penelope Hasking, Joanne Brooker, David Clarke and Graham Meadows, Mental health service use among those with depression: an exploration using Andersen's Behavioral Model of Health Service Use, *Journal of Affective Disorders*, <http://dx.doi.org/10.1016/j.jad.2016.08.074>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain

Mental health service use among those with depression: an exploration using**Andersen's Behavioral Model of Health Service Use**

Annette Graham^{a*}, Penelope Hasking^b, Joanne Brooker^c, David Clarke^a, Graham Meadows^d

^aDepartment of Psychiatry, School of Clinical Sciences at Monash Health, Monash University, Melbourne, Australia

^bSchool of Psychology and Speech Pathology, Curtin University, Perth, Australia; Department of Psychiatry, School of Clinical Sciences at Monash Health, Monash University, Melbourne, Australia

^cSzalmuk Family Psycho-Oncology Research Unit, Melbourne, Australia; Department of Psychiatry, School of Clinical Sciences at Monash Health, Monash University Melbourne, Australia

^dDepartment of Psychiatry, School of Clinical Sciences at Monash Health, Monash University, Melbourne, Australia; Mental Health Program, Monash Health, Melbourne, Australia; Melbourne School of Population and Global Health, University of Melbourne, Melbourne, Australia

*Corresponding Author: Annette Graham, Department of Psychiatry, School of Clinical Sciences at Monash Health, Monash University, P Block, Level 3, 246 Clayton Road, Clayton, VIC 3168, Australia: Phone: 0428 217 125; Fax: 61 3 9903 4885, email Annette.Graham@monash.edu

Abstract

Background

Despite positive effects on prognosis, less than half of the people diagnosed with depression access mental health services. Knowledge of what promotes such service use is limited.

There is dispute about whether the receipt of mental illness related information encourages or discourages service use among those with depression. Accurate service use models are needed to inform programs designed to facilitate service use by those who would benefit

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات