

Author's Accepted Manuscript

Synthesized amino-functionalized porous clay heterostructure as an effective thickener in waterborne polyurethane hybrid adhesives for lamination processes

Sarocho Ruanpan, Hathaikarn Manuspiya



PII: S0143-7496(17)30189-6
DOI: <https://doi.org/10.1016/j.ijadhadh.2017.10.005>
Reference: JAAD2071

To appear in: *International Journal of Adhesion and Adhesives*

Received date: 20 March 2017
Accepted date: 18 October 2017

Cite this article as: Sarocho Ruanpan and Hathaikarn Manuspiya, Synthesized amino-functionalized porous clay heterostructure as an effective thickener in waterborne polyurethane hybrid adhesives for lamination processes, *International Journal of Adhesion and Adhesives*, <https://doi.org/10.1016/j.ijadhadh.2017.10.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Synthesized amino-functionalized porous clay heterostructure as an effective thickener
in waterborne polyurethane hybrid adhesives for lamination processes**

Sarocho Ruanpan^a and Hathaikarn Manuspiya^{a,b,*}

^aThe Petroleum and Petrochemical College, Chulalongkorn University, Bangkok 10330, Thailand

^bCenter of Excellence on Petrochemical and Materials Technology, Bangkok 10330, Thailand

*Corresponding author: H. Manuspiya. Email: hathaikarn.m@chula.ac.th;

Tel.: +66 2 218 4134; Fax: +66 2 215 4459

ABSTRACT

The use of waterborne polyurethane (WPU) adhesives with non-volatile organic compounds (non-VOCs) has essentially expanded in laminating adhesive applications due to stringent environmental regulations, including on the release of VOCs. To function well, the inferior properties of WPUs should be overcome with good adhesion and cohesion mechanisms. High-performance WPU adhesive was synthesized by incorporating an amino-functionalized porous clay heterostructure (APCH) into the WPU to increase its internal strength via formation of urea linkages between fillers and the polymer matrix, to yield an organic/inorganic hybrid adhesive with greater cohesion. Urea linkages, as characterized by Fourier-self deconvolution of the C=O stretching vibration region (1600–1800 cm⁻¹), increased with increasing APCH content. In addition, APCH significantly enhanced the adhesion properties of bonded joints together with an improved thermal stability of the adhesive,

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات