


Accepted Manuscript

Anterior chamber perfusion versus posterior chamber perfusion does not influence measurement of aqueous outflow facility in living mice by constant flow infusion

Navita N. Lopez, Gaurang C. Patel, Urmimala Raychaudhuri, Subhash Aryal, Tien N. Phan, Abbot F. Clark, J. Cameron Millar



PII: S0014-4835(17)30240-3

DOI: [10.1016/j.exer.2017.08.011](https://doi.org/10.1016/j.exer.2017.08.011)

Reference: YEXER 7189

To appear in: *Experimental Eye Research*

Received Date: 29 March 2017

Revised Date: 13 July 2017

Accepted Date: 14 August 2017

Please cite this article as: Lopez, N.N., Patel, G.C., Raychaudhuri, U., Aryal, S., Phan, T.N., Clark, A.F., Millar, J.C., Anterior chamber perfusion versus posterior chamber perfusion does not influence measurement of aqueous outflow facility in living mice by constant flow infusion, *Experimental Eye Research* (2017), doi: 10.1016/j.exer.2017.08.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

TITLE PAGE

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

Anterior Chamber Perfusion Versus Posterior Chamber Perfusion Does Not Influence Measurement of Aqueous Outflow Facility in Living Mice by Constant Flow Infusion.

¹Navita N. Lopez, ¹Gaurang C. Patel, ¹Urmimala Raychaudhuri, ²Subhash Aryal, ¹Tien N. Phan, ¹Abbot F. Clark and ¹†J. Cameron Millar

¹North Texas Eye Research Institute (NTERI), ²Department of Biostatistics and Epidemiology, University of North Texas Health Science Center (UNTHSC), 3500 Camp Bowie Boulevard, Fort Worth, TX 76107 USA

Taxonomy: Ocular Physiology; Aqueous Humor Outflow; Mouse

Key Words: aqueous outflow facility; anterior chamber; posterior chamber; tropicamide; mouse; in vivo; constant flow infusion

†Corresponding Author: J. Cameron Millar (Cameron.Millar@unthsc.edu); Telephone 817-735-2682

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات