
Author's Accepted Manuscript

Prolonged grief reactions after old age spousal loss and centrality of the loss in post loss identity

Lena Eckholdt, Lynn Watson, Maja O'Connor



vww.elsevier.com/locate/iad

PII: S0165-0327(17)31047-9

https://doi.org/10.1016/j.jad.2017.11.010 DOI:

Reference: JAD9324

To appear in: Journal of Affective Disorders

Received date: 25 May 2017

Revised date: 20 September 2017 Accepted date: 4 November 2017

Cite this article as: Lena Eckholdt, Lynn Watson and Maja O'Connor, Prolonged grief reactions after old age spousal loss and centrality of the loss in post loss i d e n t i t y , Journal **Affective** Disorders. https://doi.org/10.1016/j.jad.2017.11.010

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Prolonged grief reactions after old age spousal

loss and centrality of the loss in post loss identity

Lena Eckholdt, Lynn Watson, Maja O'Connor*

Department of Psychology, Aarhus University, Denmark.

*Corresponding author: Maja O'Connor, Associate professor, MSc. Unit for

Natural and Complicated Grief. Dept of Psychology and Behavioral Science,

Aarhus University Bartholins Alle 9; Bld. 1340; Room 249; DK8000 Aarhus C,

Denmark, Phone: +45 871 65309. maja@psy.au.dk

Abstract

Background

The loss of a spouse is a major life event. Previous research found that centrality

of the loss to one's identity using Centrality of Event Scale (CES) is related to

complicated bereavement reactions, such as depression, posttraumatic stress

symptoms (PTS), and prolonged grief symptoms (PGS). This study aims to

examine loss-centrality in elderly bereaved people up to 4 years post loss, to

determine the relation of loss-centrality to complicated bereavement reactions,

such as PGS, depression, and PTS, and to identify early predictors of loss-

centrality.

Method

Self-reported data were collected from 208 elderly bereaved people (mean age

72 years, 63.9% women), who completed measures of psychological distress

1

دريافت فورى ب متن كامل مقاله

ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
 - ✓ امكان دانلود نسخه ترجمه شده مقالات
 - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
 - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات