

Meaningful communication prior to death, but not presence at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients

Running title: Grief and family presence at patient's death

Hiroyuki Otani, M.D.

Department of Palliative Care Team, and Palliative and Supportive Care, National Kyushu Cancer Center

3-1-1 Notame, Mitami-ku, Fukuoka, 811-1395, Japan.

Saran Yoshida, Ph.D., C.P.

Department of Clinical Psychology, Tohoku University Graduate School of Education

27-1, Kawauchi, Aoba-ku, Sendai, Miyagi 980-8576, Japan

Tatsuya Morita, M.D.

Department of Palliative and Supportive Care, Palliative Care Team, Seirei Mikatahara General Hospital

3453 Mikatahara-cho, Kita-ku, Hamamatsu, Shizuoka 433-8558, Japan

Maho Aoyama, R.N., Ph.D.

Department of Community Health, Health Sciences, Tohoku University Graduate School of Medicine

2-1 Seiryomachi, Aoba-ku, Sendai, Miyagi 980-8575, Japan

Yoshiyuki Kizawa, M.D., Ph.D.

Department of Palliative Medicine, Kobe University Graduate School of Medicine

7-5-1, Kusunoki-cho, Chuo-ku, Kobe, Hyogo 650-0017, Japan

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات