

## Accepted Manuscript

Shape dependent resonant modes of skyrmions in magnetic nanodisks

Yizhou Liu, Roger K. Lake, Jiadong Zang


PII: S0304-8853(17)31224-6

DOI: <http://dx.doi.org/10.1016/j.jmmm.2017.07.007>

Reference: MAGMA 62937

To appear in: *Journal of Magnetism and Magnetic Materials*

Accepted Date: 3 July 2017



Please cite this article as: Y. Liu, R.K. Lake, J. Zang, Shape dependent resonant modes of skyrmions in magnetic nanodisks, *Journal of Magnetism and Magnetic Materials* (2017), doi: <http://dx.doi.org/10.1016/j.jmmm.2017.07.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Shape dependent resonant modes of skyrmions in magnetic nanodisks

Yizhou Liu<sup>a</sup>, Roger K. Lake<sup>a,\*</sup>, Jiadong Zang<sup>b,\*</sup>

<sup>a</sup>*Department of Electrical and Computer Engineering, University of California, Riverside, California 92507, USA*

<sup>b</sup>*Department of Physics, University of New Hampshire, Durham, New Hampshire 03824, USA*

---

## Abstract

Resonant modes of a single Néel type skyrmion in confined nanodisks with varying aspect ratios (AR) are investigated using micromagnetic simulations. The AR of the skyrmion has a non-linear dependence on that of the nanodisk. The power spectra of skyrmions in nanodisks with AR ranging from 1.0 - 2.0 are calculated. With the increase of disk AR, multiple new modes emerge in the power spectrum, which originate from the broken rotational symmetry of both the nanodisk and the skyrmion. All of the spin wave modes are resolved by spatial maps of the real time magnetization fluctuations. New mixed modes such as rotation modes and oscillation modes with different azimuthal and radial components are identified in the elliptical nanodisk with AR=1.8. The new emergent modes may provide new approaches to skyrmion-based oscillators and spin wave sources in confined structures.

*Keywords:* skyrmion

---

## 1. Introduction

Magnetic soliton based spintronic devices, such as domain wall racetrack memories [1] and vortex spin torque oscillators [2], are promising candidates for

---

\*Corresponding author

*Email addresses:* yliu062@ucr.edu (Yizhou Liu), rlake@ece.ucr.edu (Roger K. Lake), Jiadong.Zang@unh.edu (Jiadong Zang)

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات