
## Accepted Manuscript

Fuzzy high-order hybrid clustering algorithm for swarm intelligence sets

Weimin Zhong, Dayu Tan, Xin Peng, Yang Tang, Wangli He

PII:S0925-2312(18)30305-9DOI:10.1016/j.neucom.2018.03.019Reference:NEUCOM 19421



To appear in: *Neurocomputing* 

Received date:27 December 2017Revised date:9 March 2018Accepted date:9 March 2018

Please cite this article as: Weimin Zhong, Dayu Tan, Xin Peng, Yang Tang, Wangli He, Fuzzy high-order hybrid clustering algorithm for swarm intelligence sets, *Neurocomputing* (2018), doi: 10.1016/j.neucom.2018.03.019

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Fuzzy high-order hybrid clustering algorithm for swarm intelligence sets

Weimin Zhong<sup>a,\*</sup>, Dayu Tan<sup>a</sup>, Xin Peng<sup>a</sup>, Yang Tang<sup>a</sup>, Wangli He<sup>a</sup>

<sup>a</sup>Key Laboratory of Advanced Control and Optimization for Chemical Process, Ministry of Education, East China University of Science and Technology, Shanghai, 200237, China

## Abstract

Traditional clustering methods, such as the well-known fuzzy c-means algorithm, usually need sufficient data to find a good clustering partition, and these algorithms are ineffective in dealing with the cases with insufficient datasets. Insufficient datasets and noise data can easily interfere with the clustering results, which is difficult to solve the non-commensurability problem for the multi-type target clustering quality in the spatial region, and it is complex to solve the highdimensional heterogeneous data of swarm intelligence sets by using the existing algorithms. In order to overcome the above problems in this paper, the swarm similarity is proposed to extend the multi-dimensional similar spatial region and use the optimal value of iterative clustering function as the clustering quality metric standard firstly. Furthermore, a fuzzy high-order hybrid clustering (F-HOHC-SIS) algorithm is proposed, which can effectively control the convergence rate and decrease the calculating time while improving the anti-interference ability. The proposed algorithm makes the high-dimensional heterogeneous data clustering objective function achieve the optimal value within finite iteration numbers. Some real datasets are used to analyze the quality of clustering. Simulation experimental results and comparisons actually demonstrate these good characteristics of F-HOHC-SIS with its effectiveness in practice.

Keywords: fuzzy clustering, high-dimensional, high order, anti-interference,

Preprint submitted to Neurocomputing

<sup>\*</sup>Corresponding author

Email addresses: wmzhong@ecust.edu.cn (Weimin Zhong), tandayu19@163.com (Dayu Tan)

## دريافت فورى 🛶 متن كامل مقاله

- امکان دانلود نسخه تمام متن مقالات انگلیسی
  امکان دانلود نسخه ترجمه شده مقالات
  پذیرش سفارش ترجمه تخصصی
  امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
  امکان دانلود رایگان ۲ صفحه اول هر مقاله
  امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
  دانلود فوری مقاله پس از پرداخت آنلاین
  پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات
- ISIArticles مرجع مقالات تخصصی ایران