

Accepted Manuscript

Thermally-treated algal suspensions as fuel for microbial fuel cells

Carmen M. Fernández-Marchante, Yeray Asensio, Luis F. León, José Villaseñor, Pablo Cañizares, Justo Lobato, Manuel A. Rodrigo



PII: S1572-6657(18)30128-0
DOI: doi:[10.1016/j.jelechem.2018.02.038](https://doi.org/10.1016/j.jelechem.2018.02.038)
Reference: JEAC 3890

To appear in: *Journal of Electroanalytical Chemistry*

Received date: 20 December 2017
Revised date: 4 February 2018
Accepted date: 16 February 2018

Please cite this article as: Carmen M. Fernández-Marchante, Yeray Asensio, Luis F. León, José Villaseñor, Pablo Cañizares, Justo Lobato, Manuel A. Rodrigo , Thermally-treated algal suspensions as fuel for microbial fuel cells. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Jeac*(2017), doi:[10.1016/j.jelechem.2018.02.038](https://doi.org/10.1016/j.jelechem.2018.02.038)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Thermally-treated algal suspensions as fuel for Microbial Fuel Cells

Carmen M. Fernández-Marchante^a, Yeray Asensio^a, Luis F. León^a, José Villaseñor^b,
Pablo Cañizares^a, Justo Lobato^a, Manuel A. Rodrigo^{a*}

^aDepartment of Chemical Engineering. Faculty of Chemical Sciences & Technologies.
University of Castilla-La Mancha. Av. Camilo Jose Cela n 12, 13071 Ciudad Real. Spain.

^bDepartment of Chemical Engineering. Research Institute for Chemical and
Environmental Technology (ITQUIMA), University of Castilla-La Mancha, 13071,
Ciudad Real, Spain

Abstract

Three thermally-treated *Chlorella vulgaris* algal suspensions were fed to two-compartment microbial fuel cells (MFCs) for more than three months and performance was monitored in order to determine whether this type of fuel is suitable for MFC and if the thermal treatment of the algae attains any improvement in the efficiency of the system. The algal suspensions were divided into three portions and conditioned thermally at 25, 55 and 95 °C, before being introduced in each MFCs. Results obtained by the three MFCs demonstrate that algal suspension is a good fuel for the electrochemical devices and that the temperature conditioning of the fuel influences on the performance of the technology in a different way after long times of operation. Thus, within the operation condition setup, the best operation performance was obtained by the cell fed with algae conditioned at the lowest temperature, the polarization curves demonstrated that performance was improved after long operation times when a higher temperature conditioning was performed.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات