Accepted Manuscript

Direct conversion of sewage sludge to electricity using polyoxomatelate catalyzed flow fuel cell

Zhe Zhang, Congmin Liu, Wei Liu, Xu Du, Yong Cui, Jian Gong, Hua Guo, Yulin Deng

Elle Zhang, Congrilli Elu, Wei Elu, Xu Du, Tong Cui, Sian Gong, Flua Guo, Tulli De

PII: S0360-5442(17)31664-X

DOI: 10.1016/j.energy.2017.09.143

Reference: EGY 11637

To appear in: Energy

Received Date: 8 May 2017

Revised Date: 5 September 2017 Accepted Date: 28 September 2017

Please cite this article as: Zhang Z, Liu C, Liu W, Du X, Cui Y, Gong J, Guo H, Deng Y, Direct conversion of sewage sludge to electricity using polyoxomatelate catalyzed flow fuel cell, *Energy* (2017), doi: 10.1016/j.energy.2017.09.143.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

- 1 Direct conversion of sewage sludge to electricity using polyoxomatelate
- 2 catalyzed flow fuel cell
- 3 Zhe Zhang^{a,†}, Congmin Liu^{b,†}, Wei Liu^a, Xu Du^a, Yong Cui^c, Jian Gong^a, Hua Guo^b, Yulin
- 4 Deng^{a,*}
- 5 a. School of Chemical &Biomolecular Engineering and Renewable Bioproducts
- 6 Instituteat Georgia Tech, Georgia Institute of Technology, 500 10th Street N.W., Atlanta,
- 7 GA 30332-0620, USA.
- 8 b. Guodian New Energy Technology Research Institute, 2 North Street, Future Science
- 9 and Technology Park, Changping District, Beijing, China, 102209.
- 10 c. Key Laboratory of Nuclear Materials and Safety Assessment, Division of Materials
- 11 for Special Environments, Institute of Metal Research, Chinese Academy of Sciences,
- Shenyang, Liaoning Province, 110016, China.
- ^{*} Corresponding author: **Dr. Yulin Deng**; E-mail: yulin.deng@rbi.gatech.edu
- 14 **Z.Z.** and **C.L.** contribute equally to this work

15

16 Highlights

- 17 A novel pathway of sludge treatment is successfully designed by flow fuel cell
- The power output reaches 50 mW/cm² which is over 100 times than that of MFC
- The mechanisms are completely different from any reported sludge fuel cell
- 20 Low-cost and stable POM is used as both the catalyst and charge carrier
- 21 No complicated pretreatment or purification of sludge is needed

دريافت فورى ب

ISIArticles مرجع مقالات تخصصی ایران

- ✔ امكان دانلود نسخه تمام متن مقالات انگليسي
 - ✓ امكان دانلود نسخه ترجمه شده مقالات
 - ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
 - ✓ امكان دانلود رايگان ۲ صفحه اول هر مقاله
 - ✔ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
 - ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات