

## Accepted Manuscript

Title: Public health and multiple-phase mortality decline:  
Evidence from industrializing Japan

Author: Kota Ogasawara Yukitoshi Matsushita

PII: S1570-677X(17)30272-1  
DOI: <https://doi.org/doi:10.1016/j.ehb.2018.04.001>  
Reference: EHB 708

To appear in: *Economics and Human Biology*

Received date: 7-11-2017  
Revised date: 26-3-2018  
Accepted date: 1-4-2018

Please cite this article as: Kota Ogasawara, Yukitoshi Matsushita, Public health and multiple-phase mortality decline: Evidence from industrializing Japan, <![CDATA[Economics and Human Biology]]> (2018), <https://doi.org/10.1016/j.ehb.2018.04.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Public health and multiple-phase mortality decline  
: Evidence from industrializing Japan

Kota Ogasawara \*and Yukitoshi Matsushita †

March 26, 2018

**Abstract**

A growing body of literature shows the mitigating effects of water-supply systems on the mortality rates in large cities, yet the heterogeneities in the effects have been understudied. This study fills in the gap in existing knowledge by providing evidence for non-linearity in the effects of clean water using semiparametric fixed effects approach with city-level nationwide longitudinal dataset between 1922 and 1940, which covers 91% of total city population. According to our baseline estimate, the clean water accounts for approximately 27% of the decrease in the crude death rate in this period. Our results also indicate the heterogeneities in the improving effects of clean water with respect to the coverage of tap water among citizens. We found evidence that the installation of the water-supply system itself decreased waterborne infections and infant mortality but did not substantially improve the overall mortality rate in the initial phase. However, the subsequent expansion of tap water could result in a continuous decline in the overall risk of deaths in the second phase.

**Keywords:** mortality; water-supply system; semi/nonparametric estimation; panel data analysis; piped water; public health;

**JEL Codes:** I18; C14; N35

---

\*Graduate School of Social Sciences, Chiba University, 1-33, Yayoicho, Inage-ku, Chiba 263-8522, Japan (E-mail: ogasawara.k.ab@chiba-u.jp).

†Graduate School of Economics, Hitotsubashi University, 2-1, Naka, Kunitachi, Tokyo, 186-8601 Japan (E-mail: matsushita.y@r.hit-u.ac.jp).

متن کامل مقاله

دریافت فوری ←

**ISI**Articles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات