

Accepted Manuscript

Mapping the international flows of GHG emissions within a more feasible consumption-based framework

Dario Caro, Federico Maria Pulselli, Simone Borghesi, Simone Bastianoni



PII: S0959-6526(17)30121-X

DOI: [10.1016/j.jclepro.2017.01.106](https://doi.org/10.1016/j.jclepro.2017.01.106)

Reference: JCLP 8853

To appear in: *Journal of Cleaner Production*

Received Date: 3 June 2016

Revised Date: 18 January 2017

Accepted Date: 19 January 2017

Please cite this article as: Caro D, Pulselli FM, Borghesi S, Bastianoni S, Mapping the international flows of GHG emissions within a more feasible consumption-based framework, *Journal of Cleaner Production* (2017), doi: 10.1016/j.jclepro.2017.01.106.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Mapping the international flows of GHG emissions within a more feasible consumption-based framework

Dario Caro¹, Federico Maria Pulselli², Simone Borghesi³, Simone Bastianoni²

¹Department of Environmental Science, Aarhus University, Fredericksborgsvej 399, DK-4000 Roskilde, Denmark

²Department of Earth, Environmental and Physical Sciences, Ecodynamics Group, University of Siena, Pian dei Mantellini 44, 53100 Siena, Italy

³ Department of Political and International Studies, University of Siena, Via Mattioli 10, 53100 Siena, Italy

Corresponding author: Dario Caro, dac@envs.au.dk

Abstract

During the last two decades, the scientific literature has focused on the allocation of emissions embodied in international trade by implementing accounting procedures based on consumer-oriented perspective. While the Multi Regional Input-Output analysis has been accepted by the scientific community as an alternative to the IPCC accounting, some concerns arise from the feasibility and the actual implementation of this methodology. In this paper, we apply a simplified framework recently introduced by Caro et al. (2014a), called NCI (National Carbon Intensity) method, and estimate the total CO₂ emissions due to consumption in 175 countries during the period 2008-2012, with a focus on the Mediterranean area. We estimate CO₂ emissions embodied in trade, assigning emission responsibility on the basis of each country's demand. Globally in 2012, 8129 Mt CO₂ emissions were related to goods produced in one country and consumed outside its boundaries. A relevant example is the export from China to consumers located in the USA, Japan, and Germany. A focus on the Mediterranean area, that resulted as a net importer of CO₂ embodied in traded goods, identifies the export of emissions from Italy and Spain to France and from Libya and Algeria to Italy as the dominant flows. The NCI method provides a realistic picture of emissions due to consumption that differs from high resolution Multi Regional Input-Output database by less than 10%. The method can be largely adopted as a more feasible preliminary step towards consumption-based emission accounting and responsibility assignment.

متن کامل مقاله

دریافت فوری ←

ISIArticles

مرجع مقالات تخصصی ایران

- ✓ امکان دانلود نسخه تمام متن مقالات انگلیسی
- ✓ امکان دانلود نسخه ترجمه شده مقالات
- ✓ پذیرش سفارش ترجمه تخصصی
- ✓ امکان جستجو در آرشیو جامعی از صدها موضوع و هزاران مقاله
- ✓ امکان دانلود رایگان ۲ صفحه اول هر مقاله
- ✓ امکان پرداخت اینترنتی با کلیه کارت های عضو شتاب
- ✓ دانلود فوری مقاله پس از پرداخت آنلاین
- ✓ پشتیبانی کامل خرید با بهره مندی از سیستم هوشمند رهگیری سفارشات